PART 1—STANDARD SPECIFICATIONS AND STANDARD PRACTICES SUBJECT SEQUENCE TABLE OF CONTENTS

AGGREGATES

| M 6-13 (2018) | Fine Aggregate for Hydraulic Cement Concrete |
|-----------------|---|
| M 17-11 (2015) | Mineral Filler for Bituminous Paving Mixtures |
| M 29-12 (2016) | Fine Aggregate for Bituminous Paving Mixtures |
| M 43-05 (2013) | Sizes of Aggregate for Road and Bridge Construction |
| M 45-16 | Aggregate for Masonry Mortar |
| M 80-13 (2017) | Coarse Aggregate for Hydraulic Cement Concrete |
| M 195-11 (2015) | Lightweight Aggregates for Structural Concrete |
| M 327-18 | Processing Additions for Use in the Manufacture of Hydraulic Cements |
| R 76-16 | Reducing Samples of Aggregate to Testing Size |
| R 90-18 | Sampling Aggregate Products |
| R 91-18 | Determining Aggregate Source Shape Values from Digital Image Analysis Shape Properties |

BITUMINOUS MATERIALS

| M 81-92 (2017) | Cutback Asphalt (Rapid-Curing Type) |
|-----------------|--|
| M 82-17 | Cutback Asphalt (Medium-Curing Type) |
| M 140-18 | Emulsified Asphalt |
| M 156-13 (2017) | Requirements for Mixing Plants for Hot-Mixed, Hot-Laid Bituminous Paving Mixtures |
| M 208-18 | Cationic Emulsified Asphalt |
| M 226-80 (2017) | Viscosity-Graded Asphalt Cement |
| M 303-89 (2014) | Lime for Asphalt Mixtures |
| M 316-18 | Polymer-Modified Emulsified Asphalt |
| M 320-17 | Performance-Graded Asphalt Binder |
| M 323-13 | Superpave Volumetric Mix Design |
| M 325-08 (2017) | Stone Matrix Asphalt (SMA) |
| M 332-18 | Performance-Graded Asphalt Binder Using Multiple Stress Creep Recovery (MSCR) Test |
| R 5-17 | Selection and Use of Emulsified Asphalts |
| R 15-18 | Asphalt Additives and Modifiers |
| R 26-01 (2018) | Certifying Suppliers of Performance-Graded Asphalt Binders |

| R 28-12 (2016) | Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV) |
|----------------|---|
| R 29-15 | Grading or Verifying the Performance Grade (PG) of an Asphalt Binder |
| R 30-02 (2015) | Mixture Conditioning of Hot Mix Asphalt (HMA) |
| R 35-17 | Superpave Volumetric Design for Asphalt Mixtures |
| R 46-08 (2017) | Designing Stone Matrix Asphalt (SMA) |
| R 47-14 (2018) | Reducing Samples of Hot Mix Asphalt (HMA) to Testing Size |
| R 49-09 (2018) | Determination of Low-Temperature Performance Grade (PG) of Asphalt Binders |
| R 59-11 (2015) | Recovery of Asphalt Binder from Solution by Abson Method |
| R 62-13 (2017) | Developing Dynamic Modulus Master Curves for Asphalt Mixtures |
| R 66-16 | Sampling Asphalt Materials |
| R 67-16 | Sampling Asphalt Mixtures after Compaction (Obtaining Cores) |
| R 68-15 | Preparation of Asphalt Mixtures by Means of the Marshall Apparatus |
| R 77-16 | Certifying Suppliers of Emulsified Asphalt |
| R 78-16 | Recovering Residue from Emulsified Asphalt Using Low-Temperature Evaporative Techniques |
| R 79-16 | Vacuum Drying Compacted Asphalt Specimens |
| R 83-17 | Preparation of Cylindrical Performance Test Specimens Using the Superpave Gyratory Compactor (SGC) |
| R 84-17 | Developing Dynamic Modulus Master Curves for Asphalt Mixtures Using the Asphalt Mixture Performance Tester (AMPT) |
| R 92-18 | Evaluating the Elastic Behavior of Asphalt Binders Using the Multiple Stress Creep Recovery (MSCR) Test |

BOX CULVERT, CULVERT PIPE, AND DRAIN TILE

| M 36-16 | Corrugated Steel Pipe, Metallic-Coated, for Sewers and Drains |
|------------------------|--|
| M 86M/M 86-17 | Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe |
| M 167M/M 167-17 | Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches |
| M 170-17 | Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe |
| M 170M-17 | Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe [Metric] |
| M 175M/M 175-05 (2013) | Perforated Concrete Pipe |
| M 176M/M 176-17 | Porous Concrete Pipe |
| M 178M/M 178-17 | Concrete Drain Tile |
| M 190-04 (2017) | Asphalt-Coated Corrugated Metal Culvert Pipe and Pipe-Arches |
| M 196-16 | Corrugated Aluminum Pipe for Sewers and Drains |

| M 197-06 (2016) | Aluminum Alloy Sheet for Corrugated Aluminum Pipe |
|-----------------|--|
| M 199M/M 199-17 | Precast Reinforced Concrete Manhole Sections |
| M 206M/M 206-17 | Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe |
| M 207M/M 207-17 | Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe |
| M 218-03 (2016) | Steel Sheet, Zinc-Coated (Galvanized), for Corrugated Steel Pipe |
| M 219-92 (2017) | Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches |
| M 242M/M 242-17 | Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe |
| M 243-96 (2017) | Field-Applied Coating of Corrugated Metal Structural Plate for Pipe, Pipe-Arches, and Arches |
| M 245-16 | Corrugated Steel Pipe, Polymer-Precoated, for Sewers and Drains |
| M 246-15 | Steel Sheet, Metallic-Coated and Polymer-Precoated, for Corrugated Steel Pipe |
| M 252-18 | Corrugated Polyethylene Drainage Pipe |
| M 259-17 | Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers |
| M 259M-17 | Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers [Metric] |
| M 262-11 (2015) | Concrete Pipe and Related Products |
| M 273-17 | Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers with Less Than 2 ft of Cover Subjected to Highway Loadings |
| M 273M-17 | Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers with Less Than 0.6 m of Cover Subjected to Highway Loadings [Metric] |
| M 274-87 (2017) | Steel Sheet, Aluminum-Coated (Type 2), for Corrugated Steel Pipe |
| M 278-15 | Class PS46 Poly(Vinyl Chloride) (PVC) Pipe |
| M 289-91 (2017) | Aluminum-Zinc Alloy Coated Sheet Steel for Corrugated Steel Pipe |
| M 294-18 | Corrugated Polyethylene Pipe, 300- to 1500-mm (12- to 60-in.) Diameter |
| M 304-11 (2015) | Poly(Vinyl Chloride) (PVC) Profile Wall Drain Pipe and Fittings Based on Controlled Inside Diameter |
| M 306-10 (2015) | Drainage, Sewer, Utility, and Related Castings |
| M 326-18 | Polyethylene (PE) Liner Pipe, 300- to 1600-mm Diameter, Based on Controlled Outside Diameter |
| M 330-18 | Polypropylene Pipe, 300- to 1500-mm (12- to 60-in.) Diameter |
| M 335-18 | Steel-Reinforced Polyethylene (PE) Ribbed Pipe, 300- to 1500-mm (12- to 60-in.) Diameter |
| R 63-13 (2017) | Solid Wall High-Density Polyethelene (HDPE) Conduit for Non-Pressure Applications Used for the Protection of Power and Telecommunications Cables |

| R 73-16 | Evaluation of Precast Concrete Drainage Products |
|---------|---|
| R 82-17 | Pipe Joint Selection for Highway Culvert and Storm Drains |

CONCRETE, CURING MATERIALS, AND ADMIXTURES

| M 154M/M 154-12 (2016) | Air-Entraining Admixtures for Concrete |
|------------------------|--|
| M 157-13 (2017) | Ready-Mixed Concrete |
| M 182-05 (2017) | Burlap Cloth Made from Jute or Kenaf and Cotton Mats |
| M 194M/M 194-13 (2017) | Chemical Admixtures for Concrete |
| M 205M/M 205-11 (2015) | Molds for Forming Concrete Test Cylinders Vertically |
| M 224-91 (2014) | Use of Protective Sealers for Portland Cement Concrete |
| M 233-86 (2014) | Boiled Linseed Oil Mixture for Treatment of Portland Cement Concrete |
| M 241M/M 241-13 (2017) | Concrete Made by Volumetric Batching and Continuous Mixing |
| M 295-11 (2015) | Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete |
| M 302-18 | Slag Cement for Use in Concrete and Mortars |
| R 39-17 | Making and Curing Concrete Test Specimens in the Laboratory |
| R 60-12 (2016) | Sampling Freshly Mixed Concrete |
| R 64-17 | Sampling and Fabrication of 50-mm (2-in.) Cube Specimens Using Grout (Non-Shrink) or Mortar |
| R 70M/R 70-18 | Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete |
| R 72-16 | Match Curing of Concrete Test Specimens |
| R 80-17 | Determining the Reactivity of Concrete Aggregates and Selecting Appropriate Measures for Preventing Deleterious Expansion in New Concrete Construction |
| R 81-17 | Static Segregation of Hardened Self-Consolidating Concrete (SCC) Cylinders |
| | |

ENVIRONMENTAL TESTS

| R 23-99 (2018) | Chemical, Biological, and Physical Analysis of Water |
|----------------|--|
| R 24-99 (2018) | Collection and Preservation of Water Samples |

GUARDRAIL AND FENCING

| M 180-12 (2017) | Corrugated Sheet Steel Beams for Highway Guardrail |
|-----------------|--|
| M 181-10 (2015) | Chain-Link Fence |
| M 269-96 (2018) | Turnbuckles and Shackles |
| M 279-14 (2018) | Metallic-Coated, Steel Woven Wire Fence Fabric |

| M 280-14 (2018) | Metallic-Coated (Carbon) Steel Barbed Wire |
|-----------------|---|
| M 281-96 (2018) | Steel Fence Posts and Assemblies, Hot-Wrought |

HYDRAULIC CEMENT

| M 85-18 | Portland Cement |
|-----------------|---|
| M 240M/M 240-18 | Blended Hydraulic Cement |
| M 307-13 (2017) | Silica Fume Used in Cementitious Mixtures |
| M 321-04 (2017) | High-Reactivity Pozzolans for Use in Hydraulic-Cement Concrete, Mortar, and Grout |
| R 71-16 | Sampling and Amount of Testing of Hydraulic Cement |

JOINT FILLER AND ASPHALT PLANK

| M 33-99 (2016) | Preformed Expansion Joint Filler for Concrete (Bituminous Type) |
|-----------------|--|
| M 153-06 (2016) | Preformed Sponge Rubber, Cork, and Recycled Rubber Expansion Joint Fillers for Concrete Paving and Structural Construction |
| M 213-01 (2015) | Preformed Expansion Joint Fillers for Concrete Paving and Structural Construction (Nonextruding and Resilient Bituminous Types) |
| M 251-06 (2016) | Plain and Laminated Elastomeric Bridge Bearings |
| M 297-10 (2015) | Preformed Polychloroprene Elastomeric Joint Seals for Bridges |
| R 50-09 (2018) | Geosynthetic Reinforcement of the Aggregate Base Course of Flexible Pavement Structures |

METALLIC MATERIALS FOR BRIDGES

| M 102M/M 102-06 (2016) | Steel Forgings, Carbon and Alloy, for General Industrial Use |
|------------------------|---|
| M 103M/M 103-12 (2016) | Steel Castings, Carbon, for General Application |
| M 105-09 (2018) | Gray Iron Castings |
| M 111M/M 111-15 | Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products |
| M 163M/M 163-07 (2016) | Castings, Iron-Chromium, Iron-Chromium-Nickel, Corrosion Resistant, for General Application |
| M 169-15 | Steel Bars, Carbon and Alloy, Cold-Finished |
| M 202M/M 202-08 (2016) | Steel Sheet Piling |
| M 227M/M 227-13 (2017) | Steel Bars, Carbon, Merchant Quality, Mechanical Properties |
| M 232M/M 232-10 (2015) | Zinc Coating (Hot-Dip) on Iron and Steel Hardware |
| M 255M/M 255-05 (2018) | Steel Bars, Carbon, Hot-Wrought, Special Quality, Mechanical Properties |
| M 270M/M 270-15 | Structural Steel for Bridges |
| M 277-06 (2015) | Wire Rope and Sockets for Movable Bridges |

| M 285M/M 285-11 (2015) | Castings, Iron-Chromium-Nickel, Corrosion Resistant, for Severe Service |
|------------------------|--|
| M 292M/M 292-15 | Carbon and Alloy Steel Nuts for Bolts for High-Pressure or High- Temperature Service, or Both |
| M 314-90 (2018) | Steel Anchor Bolts |
| M 333-16 | Detectable Warning Surfaces |
| | |
| M 334M/M 334-17 | Uncoated, Corrosion-Resistant, Deformed and Plain Chromium Alloyed, Billet-Steel Bars for Concrete Reinforcement and Dowels |
| M 336M/M 336-18 | Steel Wire and Welded Wire, Plain and Deformed, for Concrete Reinforcement |
| MISCELLANEOUS | |
| M 143-14 (2018) | Sodium Chloride |
| M 144-14 (2018) | Calcium Chloride |
| M 230-07 (2016) | Expanded and Extruded Foam Board (Polystyrene) |
| M 235M/M 235-13 (2018) | Epoxy Resin Adhesives |
| R 8-96 (2015) | Evaluation of Transportation-Related Earthborne Vibrations |
| R 10-06 (2016) | Definition of Terms Related to Quality and Statistics as Used in Highway Construction |
| R 16-04 (2016) | Discontinued—Regulatory Information for Chemicals Used in AASHTO Tests |
| R 25-18 | Technician Training and Certification Programs |
| R 34-03 (2018) | Evaluating Deicing Chemicals |
| R 44-07 (2018) | Independent Assurance (IA) Programs |
| R 89-18 | Accreditation Bodies Operating in the Fields of Construction Materials Testing and Inspection |

PAINTING AND TRAFFIC MARKING AND SIGNING

| Epoxy Resin Adhesives for Bonding Traffic Markers to Hardened Portland Cement and Asphalt Concrete |
|---|
| Glass Beads Used in Pavement Markings |
| White and Yellow Reflective Thermoplastic Striping Material (Solid Form) |
| Retroreflective Sheeting for Flat and Vertical Traffic Control Applications |
| Acrylic Prismatic Reflectors and Embossed Aluminum Frames for Signs |
| Inorganic Zinc-Rich Primer |
| Evaluation of Protective Coating Systems for Structural Steel |
| |

PAVEMENT SURFACE AND STRUCTURE CHARACTERISTICS

| M 328-14 (2018) | Inertial Profiler |
|-----------------|---|
| M 331-17 | Smoothness of Pavement in Weigh-in-Motion (WIM) Systems |
| R 36-17 | Evaluating Faulting of Concrete Pavements |
| R 37-04 (2018) | Application of Ground Penetrating Radar (GPR) to Highways |
| R 40-10 (2018) | Measuring Pavement Profile Using a Rod and Level |
| R 41-05 (2015) | Measuring Pavement Profile Using a Dipstick [®] |
| R 43-13 (2017) | Quantifying Roughness of Pavements |
| R 48-10 (2013) | Discontinued—Determining Rut Depth in Pavements |
| R 54-14 (2018) | Accepting Pavement Ride Quality When Measured Using Inertial Profiling Systems |
| R 55-10 (2013) | Discontinued—Quantifying Cracks in Asphalt Pavement Surfaces |
| R 56-14 (2018) | Certification of Inertial Profiling Systems |
| R 57-14 (2018) | Operating Inertial Profiling Systems |
| R 85-18 | Quantifying Cracks in Asphalt Pavement Surfaces from Collected Pavement Images Utilizing Automated Methods |
| R 86-18 | Collecting Images of Pavement Surfaces for Distress Detection |
| R 87-18 | Determining Pavement Deformation Parameters and Cross Slope from Collected Transverse Profiles |
| R 88-18 | Collecting the Transverse Pavement Profile |
| | |

QUALITY ASSURANCE

| R 9-05 (2018) | Acceptance Sampling Plans for Highway Construction |
|----------------|--|
| R 18-18 | Establishing and Implementing a Quality Management System for Construction Materials Testing Laboratories |
| R 20-99 (2017) | Procedures for Measuring Highway Noise |
| R 38-10 (2018) | Quality Assurance of Standard Manufactured Materials |
| R 42-06 (2016) | Developing a Quality Assurance Plan for Hot Mix Asphalt (HMA) |
| R 61-12 (2016) | Establishing Requirements for Equipment Calibrations, Standardizations, and Checks |
| R 65-14 (2018) | Evaluating the Engineering and Environmental Suitability of Recycled Materials |

REINFORCING STEEL AND WIRE ROPE

| M 30-15 | Metallic-Coated Steel Wire Rope and Fittings for Highway Guardrail |
|----------------------|---|
| M 31M/M 31-17 | Deformed and Plain Carbon and Low-Alloy Steel Bars for Concrete Reinforcement |
| M 32M/M 32-09 (2013) | Discontinued—Steel Wire, Plain, for Concrete Reinforcement |

| M 54M/M 54-07 (2017) | Welded Deformed Steel Bar Mats for Concrete Reinforcement |
|------------------------|--|
| M 55M/M 55-09 (2013) | Discontinued-Steel Welded Wire Reinforcement, Plain, for Concrete |
| M 203M/M 203-12 (2016) | Steel Strand, Low-Relaxation Uncoated Seven-Wire for Concrete Reinforcement |
| M 204M/M 204-14 (2018) | Uncoated Stress-Relieved Steel Wire for Prestressed Concrete |
| M 221M/M 221-09 (2013) | Discontinued-Steel Welded Wire Reinforcement, Deformed, for Concrete |
| M 225M/M 225-09 (2013) | Discontinued-Steel Wire, Deformed, for Concrete Reinforcement |
| M 254-06 (2015) | Corrosion-Resistant Coated Dowel Bars |
| M 275M/M 275-08 (2016) | Uncoated High-Strength Steel Bars for Prestressing Concrete |
| M 322M/M 322-10 (2015) | Rail-Steel and Axle-Steel Deformed Bars for Concrete Reinforcement |
| M 329M/M 329-11 (2015) | Stainless Clad Deformed and Plain Round Steel Bars for Concrete Reinforcement |

SOILS AND STABILIZATION

| M 57-80 (2017) | Materials for Embankments and Subgrades |
|-----------------|--|
| M 145-91 (2017) | Classification of Soils and Soil–Aggregate Mixtures for Highway Construction Purposes |
| M 146-91 (2017) | Terms Relating to Subgrade, Soil-Aggregate, and Fill Materials |
| M 147-17 | Materials for Aggregate and Soil–Aggregate Subbase, Base, and Surface Courses |
| M 216-13 (2017) | Quicklime and Hydrated Lime for Soil Stabilization |
| M 288-17 | Geosynthetic Specification for Highway Applications |
| M 318-02 (2015) | Glass Cullet Use for Soil-Aggregate Base Course |
| M 319-02 (2015) | Reclaimed Concrete Aggregate for Unbound Soil-Aggregate Base Course |
| R 13-12 (2016) | Conducting Geotechnical Subsurface Investigations |
| R 21-96 (2015) | Drilling for Subsurface Investigations—Unexpectedly Encountering Suspected Hazardous Material |
| R 22-97 (2015) | Decommissioning Geotechnical Exploratory Boreholes |
| R 27-01 (2015) | Assessment of Corrosion of Steel Piling for Non-Marine Applications |
| R 51-13 (2017) | Compost for Erosion/Sediment Control (Filter Berms and Filter Socks) |
| R 52-10 (2015) | Compost for Erosion/Sediment Control (Compost Blankets) |
| R 58-11 (2015) | Dry Preparation of Disturbed Soil and Soil-Aggregate Samples for Test |
| R 69-15 | Determination of Long-Term Strength for Geosynthetic Reinforcement |
| R 74-16 | Wet Preparation of Disturbed Soil Samples for Test |
| R 75-16 | Developing a Family of Curves |
| | |

TESTING EQUIPMENT

| M 152M/M 152-16 | Flow Table for Use in Tests of Hydraulic Cement |
|-----------------|--|
| M 201-15 | Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes |
| M 231-95 (2015) | Weighing Devices Used in the Testing of Materials |
| M 261-18 | Rib-Tread Standard Tire for Special-Purpose Pavement Frictional-Property Tests |
| M 286-18 | Smooth-Tread Standard Tire for Special-Purpose Pavement Frictional- Property Tests |
| R 32-11 (2015) | Calibrating the Load Cell and Deflection Sensors for a Falling Weight Deflectometer |
| R 33-11 (2015) | Calibrating the Reference Load Cell Used for Reference Calibrations for a Falling Weight Deflectometer |
| R 45-13 (2017) | Installing, Monitoring, and Processing Data of the Traveling Type Slope Inclinometer |

TIMBER AND PRESERVATIVES

| M 133-12 (2016) | Preservatives and Pressure Treatment Processes for Timber |
|-----------------|---|
| M 168-07 (2016) | Wood Products |

DELETED STANDARD

| M 248-91 (2012) | Ready-Mixed White and Yellow Traffic Paints |
|-----------------|---|
|-----------------|---|

PART 1—STANDARD SPECIFICATIONS AND STANDARD PRACTICES NUMERICAL SEQUENCE TABLE OF CONTENTS

| Number | Title |
|------------------------|---|
| M 6-13 (2018) | Fine Aggregate for Hydraulic Cement Concrete |
| M 17-11 (2015) | Mineral Filler for Bituminous Paving Mixtures |
| M 29-12 (2016) | Fine Aggregate for Bituminous Paving Mixtures |
| M 30-15 | Metallic-Coated Steel Wire Rope and Fittings for Highway Guardrail |
| M 31M/M 31-17 | Deformed and Plain Carbon and Low-Alloy Steel Bars for Concrete Reinforcement |
| M 32M/M 32-09 (2013) | Discontinued—Steel Wire, Plain, for Concrete Reinforcement |
| M 33-99 (2016) | Preformed Expansion Joint Filler for Concrete (Bituminous Type) |
| M 36-16 | Corrugated Steel Pipe, Metallic-Coated, for Sewers and Drains |
| M 43-05 (2013) | Sizes of Aggregate for Road and Bridge Construction |
| M 45-16 | Aggregate for Masonry Mortar |
| M 54M/M 54-07 (2017) | Welded Deformed Steel Bar Mats for Concrete Reinforcement |
| M 55M/M 55-09 (2013) | Discontinued-Steel Welded Wire Reinforcement, Plain, for Concrete |
| M 57-80 (2017) | Materials for Embankments and Subgrades |
| M 80-13 (2017) | Coarse Aggregate for Hydraulic Cement Concrete |
| M 81-92 (2017) | Cutback Asphalt (Rapid-Curing Type) |
| M 82-17 | Cutback Asphalt (Medium-Curing Type) |
| M 85-18 | Portland Cement |
| M 86M/M 86-17 | Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe |
| M 102M/M 102-06 (2016) | Steel Forgings, Carbon and Alloy, for General Industrial Use |
| M 103M/M 103-12 (2016) | Steel Castings, Carbon, for General Application |
| M 105-09 (2018) | Gray Iron Castings |
| M 111M/M 111-15 | Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products |
| M 133-12 (2016) | Preservatives and Pressure Treatment Processes for Timber |
| M 140-18 | Emulsified Asphalt |
| M 143-14 (2018) | Sodium Chloride |
| M 144-14 (2018) | Calcium Chloride |
| M 145-91 (2017) | Classification of Soils and Soil–Aggregate Mixtures for Highway Construction Purposes |
| M 146-91 (2017) | Terms Relating to Subgrade, Soil-Aggregate, and Fill Materials |
| M 147-17 | Materials for Aggregate and Soil–Aggregate Subbase, Base, and Surface Courses |
| M 152M/M 152-16 | Flow Table for Use in Tests of Hydraulic Cement |

| Number | Title |
|------------------------|--|
| M 153-06 (2016) | Preformed Sponge Rubber, Cork, and Recycled Rubber Expansion Joint Fillers for Concrete Paving and Structural Construction |
| M 154M/M 154-12 (2016) | Air-Entraining Admixtures for Concrete |
| M 156-13 (2017) | Requirements for Mixing Plants for Hot-Mixed, Hot-Laid Bituminous Paving Mixtures |
| M 157-13 (2017) | Ready-Mixed Concrete |
| M 163M/M 163-07 (2016) | Castings, Iron-Chromium, Iron-Chromium-Nickel, Corrosion Resistant, for General Application |
| M 167M/M 167-17 | Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches |
| M 168-07 (2016) | Wood Products |
| M 169-15 | Steel Bars, Carbon and Alloy, Cold-Finished |
| M 170-17 | Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe |
| M 170M-17 | Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe [Metric] |
| M 175M/M 175-05 (2013) | Perforated Concrete Pipe |
| M 176M/M 176-17 | Porous Concrete Pipe |
| M 178M/M 178-17 | Concrete Drain Tile |
| M 180-12 (2017) | Corrugated Sheet Steel Beams for Highway Guardrail |
| M 181-10 (2015) | Chain-Link Fence |
| M 182-05 (2017) | Burlap Cloth Made from Jute or Kenaf and Cotton Mats |
| M 190-04 (2017) | Asphalt-Coated Corrugated Metal Culvert Pipe and Pipe-Arches |
| M 194M/M 194-13 (2017) | Chemical Admixtures for Concrete |
| M 195-11 (2015) | Lightweight Aggregates for Structural Concrete |
| M 196-16 | Corrugated Aluminum Pipe for Sewers and Drains |
| M 197-06 (2016) | Aluminum Alloy Sheet for Corrugated Aluminum Pipe |
| M 199M/M 199-17 | Precast Reinforced Concrete Manhole Sections |
| M 201-15 | Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes |
| M 202M/M 202-08 (2016) | Steel Sheet Piling |
| M 203M/M 203-12 (2016) | Steel Strand, Low-Relaxation Uncoated Seven-Wire for Concrete Reinforcement |
| M 204M/M 204-14 (2018) | Uncoated Stress-Relieved Steel Wire for Prestressed Concrete |
| M 205M/M 205-11 (2015) | Molds for Forming Concrete Test Cylinders Vertically |
| M 206M/M 206-17 | Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe |
| M 207M/M 207-17 | Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe |
| M 208-18 | Cationic Emulsified Asphalt |
| M 213-01 (2015) | Preformed Expansion Joint Fillers for Concrete Paving and Structural Construction (Nonextruding and Resilient Bituminous Types) |

| Number | Title |
|------------------------|---|
| M 216-13 (2017) | Quicklime and Hydrated Lime for Soil Stabilization |
| M 218-03 (2016) | Steel Sheet, Zinc-Coated (Galvanized), for Corrugated Steel Pipe |
| M 219-92 (2017) | Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches |
| M 221M/M 221-09 (2013) | Discontinued-Steel Welded Wire Reinforcement, Deformed, for Concrete |
| M 224-91 (2014) | Use of Protective Sealers for Portland Cement Concrete |
| M 225M/M 225-09 (2013) | Discontinued-Steel Wire, Deformed, for Concrete Reinforcement |
| M 226-80 (2017) | Viscosity-Graded Asphalt Cement |
| M 227M/M 227-13 (2017) | Steel Bars, Carbon, Merchant Quality, Mechanical Properties |
| M 230-07 (2016) | Expanded and Extruded Foam Board (Polystyrene) |
| M 231-95 (2015) | Weighing Devices Used in the Testing of Materials |
| M 232M/M 232-10 (2015) | Zinc Coating (Hot-Dip) on Iron and Steel Hardware |
| M 233-86 (2014) | Boiled Linseed Oil Mixture for Treatment of Portland Cement Concrete |
| M 235M/M 235-13 (2018) | Epoxy Resin Adhesives |
| M 237-96 (2014) | Epoxy Resin Adhesives for Bonding Traffic Markers to Hardened Portland Cement and Asphalt Concrete |
| M 240M/M 240-18 | Blended Hydraulic Cement |
| M 241M/M 241-13 (2017) | Concrete Made by Volumetric Batching and Continuous Mixing |
| M 242M/M 242-17 | Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe |
| M 243-96 (2017) | Field-Applied Coating of Corrugated Metal Structural Plate for Pipe, Pipe-Arches, and Arches |
| M 245-16 | Corrugated Steel Pipe, Polymer-Precoated, for Sewers and Drains |
| M 246-15 | Steel Sheet, Metallic-Coated and Polymer-Precoated, for Corrugated Steel Pipe |
| M 247-13 (2018) | Glass Beads Used in Pavement Markings |
| M 249-12 (2016) | White and Yellow Reflective Thermoplastic Striping Material (Solid Form) |
| M 251-06 (2016) | Plain and Laminated Elastomeric Bridge Bearings |
| M 252-18 | Corrugated Polyethylene Drainage Pipe |
| M 254-06 (2015) | Corrosion-Resistant Coated Dowel Bars |
| M 255M/M 255-05 (2018) | Steel Bars, Carbon, Hot-Wrought, Special Quality, Mechanical Properties |
| M 259-17 | Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers |
| M 259M-17 | Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers [Metric] |
| M 261-18 | Rib-Tread Standard Tire for Special-Purpose Pavement Frictional-Property Tests |
| M 262-11 (2015) | Concrete Pipe and Related Products |
| M 268-15 | Retroreflective Sheeting for Flat and Vertical Traffic Control Applications |

| Number | Title |
|------------------------|--|
| M 269-96 (2018) | Turnbuckles and Shackles |
| M 270M/M 270-15 | Structural Steel for Bridges |
| M 273-17 | Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers with Less Than 2 ft of Cover Subjected to Highway Loadings |
| M 273M-17 | Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers with Less Than 0.6 m of Cover Subjected to Highway Loadings [Metric] |
| M 274-87 (2017) | Steel Sheet, Aluminum-Coated (Type 2), for Corrugated Steel Pipe |
| M 275M/M 275-08 (2016) | Uncoated High-Strength Steel Bars for Prestressing Concrete |
| M 277-06 (2015) | Wire Rope and Sockets for Movable Bridges |
| M 278-15 | Class PS46 Poly(Vinyl Chloride) (PVC) Pipe |
| M 279-14 (2018) | Metallic-Coated, Steel Woven Wire Fence Fabric |
| M 280-14 (2018) | Metallic-Coated (Carbon) Steel Barbed Wire |
| M 281-96 (2018) | Steel Fence Posts and Assemblies, Hot-Wrought |
| M 285M/M 285-11 (2015) | Castings, Iron-Chromium-Nickel, Corrosion Resistant, for Severe Service |
| M 286-18 | Smooth-Tread Standard Tire for Special-Purpose Pavement Frictional- Property Tests |
| M 288-17 | Geosynthetic Specification for Highway Applications |
| M 289-91 (2017) | Aluminum-Zinc Alloy Coated Sheet Steel for Corrugated Steel Pipe |
| M 290-96 (2018) | Acrylic Prismatic Reflectors and Embossed Aluminum Frames for Signs |
| M 292M/M 292-15 | Carbon and Alloy Steel Nuts for Bolts for High-Pressure or High- Temperature Service, or Both |
| M 294-18 | Corrugated Polyethylene Pipe, 300- to 1500-mm (12- to 60-in.) Diameter |
| M 295-11 (2015) | Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete |
| M 297-10 (2015) | Preformed Polychloroprene Elastomeric Joint Seals for Bridges |
| M 300-03 (2017) | Inorganic Zinc-Rich Primer |
| M 302-18 | Slag Cement for Use in Concrete and Mortars |
| M 303-89 (2014) | Lime for Asphalt Mixtures |
| M 304-11 (2015) | Poly(Vinyl Chloride) (PVC) Profile Wall Drain Pipe and Fittings Based on Controlled Inside Diameter |
| M 306-10 (2015) | Drainage, Sewer, Utility, and Related Castings |
| M 307-13 (2017) | Silica Fume Used in Cementitious Mixtures |
| M 314-90 (2018) | Steel Anchor Bolts |
| M 316-18 | Polymer-Modified Emulsified Asphalt |
| M 318-02 (2015) | Glass Cullet Use for Soil-Aggregate Base Course |
| M 319-02 (2015) | Reclaimed Concrete Aggregate for Unbound Soil-Aggregate Base Course |
| M 320-17 | Performance-Graded Asphalt Binder |

| Number | Title | | |
|------------------------|--|--|--|
| M 321-04 (2017) | High-Reactivity Pozzolans for Use in Hydraulic-Cement Concrete, Mortar, and Grout | | |
| M 322M/M 322-10 (2015) | Rail-Steel and Axle-Steel Deformed Bars for Concrete Reinforcement | | |
| M 323-17 | Superpave Volumetric Mix Design | | |
| M 325-08 (2017) | Stone Matrix Asphalt (SMA) | | |
| M 326-18 | Polyethylene (PE) Liner Pipe, 300- to 1600-mm Diameter, Based on Controlled Outside Diameter | | |
| M 327-18 | Processing Additions for Use in the Manufacture of Hydraulic Cements | | |
| M 328-14 (2018) | Inertial Profiler | | |
| M 329M/M 329-11 (2015) | Stainless Clad Deformed and Plain Round Steel Bars for Concrete Reinforcement | | |
| M 330-18 | Polypropylene Pipe, 300- to 1500-mm (12- to 60-in.) Diameter | | |
| M 331-17 | Smoothness of Pavement in Weigh-in-Motion (WIM) Systems | | |
| M 332-18 | Performance-Graded Asphalt Binder Using Multiple Stress Creep Recovery (MSCR) Test | | |
| M 333-16 | Detectable Warning Surfaces | | |
| M 334M/M 334-17 | Uncoated, Corrosion-Resistant, Deformed and Plain Chromium Alloyed, Billet-Steel Bars for Concrete Reinforcement and Dowels | | |
| M 335-18 | Steel-Reinforced Polyethylene (PE) Ribbed Pipe, 300- to 1500-mm (12- to 60-in.) Diameter | | |
| M 336M/M336-18 | Steel Wire and Welded Wire, Plain and Deformed, for Concrete Reinforcement | | |
| R 5-17 | Selection and Use of Emulsified Asphalts | | |
| R 8-96 (2015) | Evaluation of Transportation-Related Earthborne Vibrations | | |
| R 9-05 (2018) | Acceptance Sampling Plans for Highway Construction | | |
| R 10-06 (2016) | Definition of Terms Related to Quality and Statistics as Used in Highway Construction | | |
| R 13-12 (2016) | Conducting Geotechnical Subsurface Investigations | | |
| R 15-18 | Asphalt Additives and Modifiers | | |
| R 16-04 (2016) | <i>Discontinued</i> —Regulatory Information for Chemicals Used in AASHTO Tests | | |
| R 18-18 | Establishing and Implementing a Quality Management System for Construction Materials Testing Laboratories | | |
| R 20-99 (2017) | Procedures for Measuring Highway Noise | | |
| R 21-96 (2015) | Drilling for Subsurface Investigations—Unexpectedly Encountering Suspected Hazardous Material | | |
| R 22-97 (2015) | Decommissioning Geotechnical Exploratory Boreholes | | |
| R 23-99 (2018) | Chemical, Biological, and Physical Analysis of Water | | |
| R 24-99 (2018) | Collection and Preservation of Water Samples | | |

| Number | Title | | |
|----------------|--|--|--|
| R 25-18 | Technician Training and Certification Programs | | |
| R 26-01 (2018) | Certifying Suppliers of Performance-Graded Asphalt Binders | | |
| R 27-01 (2015) | Assessment of Corrosion of Steel Piling for Non-Marine Applications | | |
| R 28-12 (2016) | Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV) | | |
| R 29-15 | Grading or Verifying the Performance Grade (PG) of an Asphalt Binder | | |
| R 30-02 (2015) | Mixture Conditioning of Hot Mix Asphalt (HMA) | | |
| R 31-09 (2014) | Evaluation of Protective Coating Systems for Structural Steel | | |
| R 32-11 (2015) | Calibrating the Load Cell and Deflection Sensors for a Falling Weight Deflectometer | | |
| R 33-11 (2015) | Calibrating the Reference Load Cell Used for Reference Calibrations for a Falling Weight Deflectometer | | |
| R 34-03 (2018) | Evaluating Deicing Chemicals | | |
| R 35-17 | Superpave Volumetric Design for Asphalt Mixtures | | |
| R 36-17 | Evaluating Faulting of Concrete Pavements | | |
| R 37-04 (2018) | Application of Ground Penetrating Radar (GPR) to Highways | | |
| R 38-10 (2018) | Quality Assurance of Standard Manufactured Materials | | |
| R 39-17 | Making and Curing Concrete Test Specimens in the Laboratory | | |
| R 40-10 (2018) | Measuring Pavement Profile Using a Rod and Level | | |
| R 41-05 (2015) | Measuring Pavement Profile Using a Dipstick® | | |
| R 42-06 (2016) | Developing a Quality Assurance Plan for Hot Mix Asphalt (HMA) | | |
| R 43-13 (2017) | Quantifying Roughness of Pavements | | |
| R 44-07 (2018) | Independent Assurance (IA) Programs | | |
| R 45-13 (2017) | Installing, Monitoring, and Processing Data of the Traveling Type Slope Inclinometer | | |
| R 46-08 (2017) | Designing Stone Matrix Asphalt (SMA) | | |
| R 47-14 (2018) | Reducing Samples of Hot Mix Asphalt (HMA) to Testing Size | | |
| R 48-10 (2013) | Discontinued—Determining Rut Depth in Pavements | | |
| R 49-09 (2018) | Determination of Low-Temperature Performance Grade (PG) of Asphalt Binders | | |
| R 50-09 (2018) | Geosynthetic Reinforcement of the Aggregate Base Course of Flexible Pavement Structures | | |
| R 51-13 (2017) | Compost for Erosion/Sediment Control (Filter Berms and Filter Socks) | | |
| R 52-10 (2015) | Compost for Erosion/Sediment Control (Compost Blankets) | | |
| R 54-14 (2018) | Accepting Pavement Ride Quality When Measured Using Inertial Profiling Systems | | |
| R 55-10 (2013) | Discontinued—Quantifying Cracks in Asphalt Pavement Surfaces | | |
| R 56-14 (2018) | Certification of Inertial Profiling Systems | | |

| Number | Title |
|----------------|--|
| R 57-14 (2018) | Operating Inertial Profiling Systems |
| R 58-11 (2015) | Dry Preparation of Disturbed Soil and Soil-Aggregate Samples for Test |
| R 59-11 (2015) | Recovery of Asphalt Binder from Solution by Abson Method |
| R 60-12 (2016) | Sampling Freshly Mixed Concrete |
| R 61-12 (2016) | Establishing Requirements for Equipment Calibrations, Standardizations, and Checks |
| R 62-13 (2017) | Developing Dynamic Modulus Master Curves for Asphalt Mixtures |
| R 63-13 (2017) | Solid Wall High-Density Polyethylene (HDPE) Conduit for Non-Pressure Applications Used for the Protection of Power and Communications Cables |
| R 64-17 | Sampling and Fabrication of 50-mm (2-in.) Cube Specimens Using Grout (Non-Shrink) or Mortar |
| R 65-14 (2018) | Evaluating the Engineering and Environmental Suitability of Recycled Materials |
| R 66-16 | Sampling Asphalt Mixtures |
| R 67-16 | Sampling Asphalt Mixtures after Compaction (Obtaining Cores) |
| R 68-15 | Preparation of Asphalt Mixtures by Means of the Marshall Apparatus |
| R 69-15 | Determination of Long-Term Strength for Geosynthetic Reinforcement |
| R 70M/R 70-18 | Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete |
| R 71-16 | Sampling and Amount of Testing of Hydraulic Cement |
| R 72-16 | Match Curing of Concrete Test Specimens |
| R 73-16 | Evaluation of Precast Concrete Drainage Products |
| R 74-16 | Wet Preparation of Disturbed Soil Samples for Test |
| R 75-16 | Developing a Family of Curves |
| R 76-16 | Reducing Samples of Aggregate to Testing Size |
| R 77-16 | Certifying Suppliers of Emulsified Asphalt |
| R 78-16 | Recovering Residue from Emulsified Asphalt Using Low-Temperature Evaporative Techniques |
| R 79-16 | Vacuum Drying Compacted Asphalt Specimens |
| R 80-17 | Determining the Reactivity of Concrete Aggregates and Selecting Appropriate Measures for Preventing Deleterious Expansion in New Concrete Construction |
| R 81-17 | Static Segregation of Hardened Self-Consolidating Concrete (SCC) Cylinders |
| R 82-17 | Pipe Joint Selection for Highway Culvert and Storm Drains |
| R 83-17 | Preparation of Cylindrical Performance Test Specimens Using the Superpave Gyratory Compactor (SGC) |
| R 84-17 | Developing Dynamic Modulus Master Curves for Asphalt Mixtures Using the Asphalt Mixture Performance Tester (AMPT) |

| Number | Title |
|---------|---|
| R 85-18 | Quantifying Cracks in Asphalt Pavement Surfaces from Collected Pavement Images Utilizing Automated Methods |
| R 86-18 | Collecting Images of Pavement Surfaces for Distress Detection |
| R 87-18 | Determining Pavement Deformation Parameters and Cross Slope from Collected Transverse Profiles |
| R 88-18 | Collecting the Transverse Pavement Profile |
| R 89-18 | Accreditation Bodies Operating in the Fields of Construction Materials Testing and Inspection |
| R 90-18 | Sampling Aggregate Products |
| R 91-18 | Determining Aggregate Source Shape Values from Digital Image Analysis Shape Properties |
| R 92-18 | Evaluating the Elastic Behavior of Asphalt Binders Using the Multiple Stress Creep Recovery (MSCR) Test |

DELETED STANDARD

LIST OF TECHNICAL CHANGES—PART 1

The balloted technical changes listed below are also indicated in the specifications by a change bar in the left margin and by highlighted text (for additions) or struck-through text (for deletions). Unballoted editorial changes do not receive the change bar, highlighting, or strike-through; however, any standard that is neither revised nor reconfirmed but contains such changes does include an endnote stating that minor editorial revisions have been made.

| Designation Number | Title | Technical Section Number | Balloted Revisions |
|--------------------|--|--------------------------------|---|
| M 6-13 (2018) | Fine Aggregate for Hydraulic Cement Concrete | 1c | Reconfirmed for 2018 publication. |
| M 140-18 | Emulsified Asphalt | 2a | Table 1 and Section 5 revised. |
| M 208-18 | Cationic Emulsified Asphalt | 2a | Table 1 and Section 5 revised. |
| M 316-18 | Polymer-Modified Emulsified Asphalt | 2a | Tables 1 through 3 and Section 5 revised. |
| M 332-18 | Performance-Graded Asphalt Binder Using Multiple Stress Creep Recovery (MSCR) Test | 2b | Revised to remove the elastic component. |
| R 15-18 | Asphalt Additives and Modifiers | 2b | Revised extensively. |
| R 26-01 (2018) | Certifying Suppliers of Performance-Graded Asphalt Binders | 2b | Reconfirmed for 2018 publication. |
| R 47-14 (2018) | Reducing Samples of Hot Mix Asphalt (HMA) to Testing Size | 2c | Reconfirmed for 2018 publication. |
| R 49-09 (2018) | Determination of Low-Temperature Performance Grade (PG) of Asphalt Binders | 2b | Reconfirmed for 2018 publication. |
| R 90-18 | Sampling Aggregate Products | 1c | Completely rewrote T2 as a standard practice, R 90. |
| R 91-18 | Determining Aggregate Source Shape Values from Digital Image Analysis Shape Properties | 1c | Adopted AASHTO Provisional standard PP 64 as a new standard practice, R 91. |
| R 92-18 | Evaluating the Elastic Behavior of Asphalt Binders Using the Multiple Stress Creep Recovery (MSCR) Test | 2b | Adopted as a new standard practice. |

Release: Group 3 (August 2018)

Release: Group 2 (June 2018)

| Designation Number | Title | Technical Section Number | Balloted Revisions |
|------------------------|--|--------------------------------|---|
| M 32M/M 32-09 (2013) | Steel Wire, Plain, for Concrete Reinforcement | 4f | Discontinued; refer to M 336M/M 336. |
| M 55M/M 55-09 (2013) | Steel Welded Wire Reinforcement, Plain, for Concrete | 4f | Discontinued; refer to M 336M/M 336. |
| M 105-09 (2018) | Gray Iron Castings | 4f | Reconfirmed for 2018 publication. |
| M 111M/M 111-15 | Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products | 4f | Editorially revised. |
| M 143-14 (2018) | Sodium Chloride | 4c | Reconfirmed for 2018 publication. |
| M 144-14 (2018) | Calcium Chloride | 4c | Reconfirmed for 2018 publication. |
| M 180-18 | Corrugated Sheet Steel Beams for Highway Guardrail | 4d | Revised to include zinc-aluminum-magnesiu coatings and applicable ASTM standards that apply to that coating type. |
| M 203M/M 203-18 | Steel Strand, Low-Relaxation Uncoated Seven-Wire for Concrete Reinforcement | 4f | Revised to maintain equivalency with ASTM A416. |
| M 204M/M 204-14 (2018) | Uncoated Stress-Relieved Steel Wire for Prestressed Concrete | 4f | Reconfirmed for 2018 publication. |
| M 221M/M 221-09 (2013) | Steel Welded Wire Reinforcement, Deformed, for Concrete | 4f | Discontinued; refer to M 336M/M 336. |
| M 225M/M 225-09 (2013) | Steel Wire, Deformed, for Concrete Reinforcement | 4f | Discontinued; refer to M 336M/M 336. |
| M 235M/M 235-13 (2018) | Epoxy Resin Adhesives | 4c | Reconfirmed for 2018 publication. |
| M 247-13 (2018) | Glass Beads Used in Pavement Markings | 4c | Reconfirmed for 2018 publication. |
| M 252-18 | Corrugated Polyethylene Drainage Pipe | 4b | Revised extensively. |
| M 255M/M 255-05 (2018) | Steel Bars, Carbon, Hot-Wrought, Special Quality, Mechanical Properties | 4f | Reconfirmed for 2018 publication. |
| M 269-96 (2018) | Turnbuckles and Shackles | 4d | Reconfirmed for 2018 publication. |
| M 279-14 (2018) | Metallic-Coated, Steel Woven Wire Fence Fabric | 4d | Reconfirmed with editorial revisions for 2018 publication. |
| M 280-14 (2018) | Metallic-Coated (Carbon) Steel Barbed Wire | 4d | Reconfirmed with editorial revisions for 2018 publication. |

| Designation Number | Title | Technical Section Number | Balloted Revisions |
|--------------------|---|--------------------------------|---|
| M 281-96 (2018) | Steel Fence Posts and Assemblies, Hot-Wrought | 4d | Reconfirmed with editorial revisions for 2018 publication. |
| M 290-96 (2018) | Acrylic Prismatic Reflectors and Embossed Aluminum Frames for Signs | 4d | Reconfirmed with editorial revisions for 2018 publication. |
| M 294-18 | Corrugated Polyethylene Pipe, 300- to 1500-mm (12- to 60-in.) Diameter | 4b | Revised extensively. |
| M 314-90 (2018) | Steel Anchor Bolts | 4f | Reconfirmed for 2018 publication. |
| M 326-18 | Polyethylene (PE) Liner Pipe, 300- to 1600-mm Diameter, Based on Controlled Outside Diameter | 4b | Revised extensively. |
| M 330-18 | Polypropylene Pipe, 300- to 1500-mm (12- to 60-in.) Diameter | 4b | Revised extensively. |
| M 335-18 | Steel-Reinforced Polyethylene (PE) Ribbed Pipe, 300- to 1500-mm (12- to 60-in.) Diameter | 4b | Adopted AASHTO Provisional standard MP 20 as a new standard specification, M 335. |
| M 336M/M 336-18 | Steel Wire and Welded Wire, Plain and Deformed, for Concrete Reinforcement | 4f | Adopted as a new standard specification; replaces M 32M/M 32, M 55M/M 55, M 221M/M 221, and M 221M/M 221. |
| R 50-09 (2018) | Geosynthetic Reinforcement of the Aggregate Base Course of Flexible Pavement Structures | | Reconfirmed for 2018 publication. |

Release: Group 1 (April 2018)

| Designation Number | Title | Technical Section Number | Balloted Revisions |
|--------------------|--|--------------------------------|--|
| M 85-18 | Portland Cement | 3a | Revised to add chloride content language and remove reference to ASTM C186. |
| M 240M/M 240-18 | Blended Hydraulic Cement | 3a | Revised to include reporting of alkali content of natural pozzolan and add a new note on ASR in Section 4.3. |
| M 261-18 | Rib-Tread Standard Tire for Special-Purpose Pavement Frictional- Property Tests | 5a | Revised to maintain equivalency with ASTM E501. |
| M 268-18 | Smooth-Tread Standard Tire for Special-Purpose Pavement Frictional- Property Tests | 5a | Revised to maintain equivalency with ASTM E521. |
| M 302-18 | Slag Cement for Use in Concrete and Mortars | 3b | Revised to maintain equivalency with ASTM C989/C989M. |
| M 327-18 | Processing Additions for Use in the Manufacture of Hydraulic Cements | За | Revised to move Note 1 to the body of the standard to make it mandatory language to match a change being made with ASTM. |
| M 328-14 (2018) | Inertial Profiler | 5a | Reconfirmed for 2018 publication. |
| R 9-02 (2018) | Acceptance Sampling Plans for Highway Construction | 5c | Reconfirmed for 2018 publication. |
| R 16-04 (2016) | Regulatory Information for Chemicals Used in AASHTO Tests | 5c | Discontinued; refer to 29 CFR 1910.1200. |
| R 18-18 | Establishing and Implementing a Quality Management System for Construction Materials Testing Laboratories | 5c | Revised to update the technical requirements section and moved to 5c. |
| R 23-99 (2018) | Chemical, Biological, and Physical Analysis of Water | 5c | Reconfirmed for 2018 publication. |
| R 24-99 (2018) | Collection and Preservation of Water Samples | 5c | Reconfirmed for 2018 publication. |
| R 25-18 | Technician Training and Certification Programs | 5c | Revised extensively. |
| R 34-03 (2018) | Evaluating Deicing Chemicals | 5c | Reconfirmed for 2018 publication. |
| R 037-04 (2018) | Application of Ground Penetrating Radar (GPR) to Highways | 5c | Reconfirmed for 2018 publication. |
| R 38-10 (2018) | Quality Assurance of Standard Manufactured Materials | 5c | Reconfirmed for 2018 publication. |

| Designation Number | Title | Technical Section Number | Balloted Revisions |
|--------------------|---|--------------------------------|---|
| R 39-17 | Making and Curing Concrete Test Specimens in the Laboratory | 3b | Moved to 3b. |
| R 40-10 (2018) | Measuring Pavement Profile Using a Rod and Level | 5a | Reconfirmed for 2018 publication. |
| R 44-07 (2018) | Independent Assurance (IA) Programs | 5c | Reconfirmed for 2018 publication. |
| R 48-10 (2013) | Determining Rut Depth in Pavements | 5a | Discontinued; refer to refer to R 87 and R 88. |
| R 54-14 (2018) | Accepting Pavement Ride Quality When Measured Using Inertial Profiling Systems | 5a | Reconfirmed for 2018 publication. |
| R 55-10 (2013) | Quantifying Cracks in Asphalt Pavement Surfaces | 5a | Discontinued; refer to R 85 and R 86. |
| R 56-14 (2018) | Certification of Inertial Profiling Systems | 5a | Reconfirmed for 2018 publication. |
| R 57-14 (2018) | Operating Inertial Profiling Systems | 5a | Reconfirmed for 2018 publication. |
| R 65-14 (2018) | Evaluating the Engineering and Environmental Suitability of Recycled Materials | 5c | Reconfirmed for 2018 publication. |
| R 70M/M 70-18 | Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete | 3a | Revised to maintain equivalency with ASTM C490/C490M. |
| R 85-18 | Quantifying Cracks in Asphalt Pavement Surfaces from Collected Pavement Images Utilizing Automated Methods | 5a | Adopted AASHTO Provisional standard PP 67 as a new standard practice, R 85. |
| R 86-18 | Collecting Images of Pavement Surfaces for Distress Detection | 5a | Adopted AASHTO Provisional standard PP 68 as a new standard practice, R 86. |
| R 87-18 | Determining Pavement Deformation Parameters and Cross Slope from Collected Transverse Profiles | 5a | Adopted AASHTO Provisional standard PP 69 as a new standard practice, R 87. |
| R 88-18 | Collecting the Transverse Pavement Profile | 5a | Adopted AASHTO Provisional standard PP 70 as a new standard practice, R 88. |
| R 89-18 | Accreditation Bodies Operating in the Fields of Construction Materials Testing and Inspection | 5c | Adopted as a new standard practice. |

PART 2—STANDARD TESTS SUBJECT SEQUENCE TABLE OF CONTENTS

| Number AGGREGATES | Title |
|----------------------|---|
| T 2-91 (2015) | Reclassified—Sampling of Aggregates |
| T 11-05 (2018) | Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing |
| T 19M/T 19-14 (2018) | Bulk Density ("Unit Weight") and Voids in Aggregate |
| T 21M/T 21-15 | Organic Impurities in Fine Aggregates for Concrete |
| T 27-14 (2018) | Sieve Analysis of Fine and Coarse Aggregates |
| Т 30-15 | Mechanical Analysis of Extracted Aggregate |
| T 37-07 (2016) | Sieve Analysis of Mineral Filler for Hot Mix Asphalt (HMA) |
| T 71-08 (2017) | Effect of Organic Impurities in Fine Aggregate on Strength of Mortar |
| T 84-13 (2017) | Specific Gravity and Absorption of Fine Aggregate |
| T 85-14 (2018) | Specific Gravity and Absorption of Coarse Aggregate |
| T 96-02 (2015) | Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine |
| T 103-08 (2017) | Soundness of Aggregates by Freezing and Thawing |
| T 104-99 (2016) | Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate |
| T 112-00 (2017) | Clay Lumps and Friable Particles in Aggregate |
| Т 113-18 | Lightweight Pieces in Aggregate |
| T 210-15 | Aggregate Durability Index |
| T 255-00 (2017) | Total Evaporable Moisture Content of Aggregate by Drying |
| Т 279-18 | Accelerated Polishing of Aggregates Using the British Wheel |
| Т 304-17 | Uncompacted Void Content of Fine Aggregate |
| T 326-05 (2018) | Uncompacted Void Content of Coarse Aggregate (As Influenced by Particle Shape, Surface Texture, and Grading) |
| T 327-12 (2016) | Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus |
| T 330-07 (2015) | The Qualitative Detection of Harmful Clays of the Smectite Group in Aggregates Using Methylene Blue |
| T 335-09 (2018) | Determining the Percentage of Fracture in Coarse Aggregate |
| T 354-17 | Specific Gravity and Absorption of Aggregate by Volumetric Immersion Method |
| T 380-18 | Potential Alkali Reactivity of Aggregates and Effectiveness of ASR Mitigation Measures (Miniature Concrete Prism Test, MCPT) |
| T 381-18 | Determining Aggregate Shape Properties by Means of Digital Image Analysis |

Number Title BITUMINOUS MATERIALS

| BITOWINGUS WATERIALS | |
|----------------------|---|
| T 44-14 (2018) | Solubility of Bituminous Materials |
| Т 48-18 | Flash Fire Point of Asphalt Binder by Cleveland Open Cup |
| Т 49-15 | Penetration of Bituminous Materials |
| T 50-14 (2018) | Float Test for Bituminous Materials |
| T 51-09 (2018) | Ductility of Asphalt Materials |
| T 53-09 (2018) | Softening Point of Bitumen (Ring-and-Ball Apparatus) |
| Т 59-16 | Emulsified Asphalts |
| T 72-10 (2015) | Saybolt Viscosity |
| Т 78-15 | Distillation of Cutback Asphalt Products |
| T 79-12 (2016) | Flash Point with Tag Open-Cup Apparatus for Use with Material Having a Flash Point Less Than 93°C (200°F) |
| T 102-09 (2018) | Spot Test of Asphaltic Materials |
| T 110-03 (2016) | Moisture or Volatile Distillates in Hot Mix Asphalt (HMA) |
| T 111-11 (2015) | Mineral Matter or Ash in Asphalt Materials |
| T 164-14 (2018) | Quantitative Extraction of Asphalt Binder from Hot Mix Asphalt (HMA) |
| T 166-16 | Bulk Specific Gravity (G_{mb}) of Compacted Asphalt Mixtures Using Saturated Surface-Dry Specimens |
| T 167-10 (2015) | Compressive Strength of Hot Mix Asphalt |
| T 168-03 (2016) | Sampling Bituminous Paving Mixtures |
| T 179-05 (2018) | Effect of Heat and Air on Asphalt Materials (Thin-Film Oven Test) |
| T 195-18 | Determining Degree of Particle Coating of Asphalt Mixtures |
| Т 201-15 | Kinematic Viscosity of Asphalts (Bitumens) |
| Т 202-15 | Viscosity of Asphalts by Vacuum Capillary Viscometer |
| T 209-12 (2016) | Theoretical Maximum Specific Gravity (G_{mm}) and Density of Hot Mix Asphalt (HMA) |
| T 228-09 (2018) | Specific Gravity of Semi-Solid Asphalt Materials |
| T 240-13 (2017) | Effect of Heat and Air on a Moving Film of Asphalt Binder (Rolling Thin-Film Oven Test) |
| T 245-15 | Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus |
| T 246-10 (2015) | Resistance to Deformation and Cohesion of Hot Mix Asphalt (HMA) by Means of Hveem Apparatus |
| T 247-10 (2015) | Preparation of Test Specimens of Hot Mix Asphalt (HMA) by Means of California Kneading Compactor |
| T 269-14 (2018) | Percent Air Voids in Compacted Dense and Open Asphalt Mixtures |
| Т 275-17 | Bulk Specific Gravity (G_{mb}) of Compacted Asphalt Mixtures Using Paraffin-Coated Specimens |
| T 283-14 (2018) | Resistance of Compacted Asphalt Mixtures to Moisture-Induced Damage |
| T 287-14 (2018) | Asphalt Binder Content of Asphalt Mixtures by the Nuclear Method |
| T 295-13 (2017) | Specific Gravity or API Gravity of Liquid Asphalts by Hydrometer Method |

| Number | Title |
|-----------------|--|
| T 300-11 (2016) | Force Ductility Test of Asphalt Materials |
| T 301-13 (2017) | Elastic Recovery Test of Asphalt Materials by Means of a Ductilometer |
| T 302-15 | Polymer Content of Polymer-Modified Emulsified Asphalt Residue and Asphalt Binders |
| T 305-14 (2018) | Determination of Draindown Characteristics in Uncompacted Asphalt Mixtures |
| T 308-18 | Determining the Asphalt Binder Content of Hot Mix Asphalt (HMA) by the Ignition Method |
| T 312-15 | Preparing and Determining the Density of Asphalt Mixture Specimens by Means of the Superpave Gyratory Compactor |
| T 313-12 (2016) | Determining the Flexural Creep Stiffness of Asphalt Binder Using the Bending Beam Rheometer (BBR) |
| T 314-12 (2016) | Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT) |
| T 315-12 (2016) | Determining the Rheological Properties of Asphalt Binder Using a Dynamic Shear Rheometer (DSR) |
| T 316-13 (2017) | Viscosity Determination of Asphalt Binder Using Rotational Viscometer |
| T 319-15 | Quantitative Extraction and Recovery of Asphalt Binder from Asphalt Mixtures |
| T 320-07 (2016) | Determining the Permanent Shear Strain and Stiffness of Asphalt Mixtures Using the Superpave Shear Tester (SST) |
| T 321-17 | Determining the Fatigue Life of Compacted Asphalt Mixtures Subjected to Repeated Flexural Bending |
| T 322-07 (2016) | Determining the Creep Compliance and Strength of Hot Mix Asphalt (HMA) Using the Indirect Tensile Test Device |
| Т 324-17 | Hamburg Wheel-Track Testing of Compacted Asphalt Mixtures |
| Т 329-15 | Moisture Content of Ashpalt Mixtures by Oven Method |
| T 331-13 (2017) | Bulk Specific Gravity (G_{mb}) and Density of Compacted Asphalt Mixtures Using Automatic Vacuum Sealing Method |
| T 340-10 (2015) | Determining Rutting Susceptibility of Hot Mix Asphalt (HMA) Using the Asphalt Pavement Analyzer (APA) |
| T 342-11 (2015) | Determining Dynamic Modulus of Hot Mix Asphalt (HMA) |
| T 343-12 (2016) | Density of In-Place Hot Mix Asphalt (HMA) Pavement by Electronic Surface Contact Devices |
| T 344-12 (2016) | Evaluation of Superpave Gyratory Compactor (SGC) Internal Angle of Gyration Using Simulated Loading |
| T 350-14 (2018) | Multiple Stress Creep Recover (MSCR) Test of Asphalt Binder Using a Dynamic Shear Rheometer (DSR) |
| Т 355-18 | In-Place Density of Asphalt Mixtures by Nuclear Methods |
| T 361-16 | Determining Asphalt Binder Bond Strength by Means of the Binder Bond Strength (BBS) Test |
| Т 362-17 | Quantitative Determination of the Percentage of Lime in Asphalt Mixtures |

| Number | Title |
|----------|---|
| Т 377-17 | Detecting the Presence of Phosphorus in Asphalt Binder |
| T 378-17 | Determining the Dynamic Modulus and Flow Number for Asphalt Mixtures Using the Asphalt Mixture Performance Tester (AMPT) |
| T 382-18 | Determining the Viscosity of Emulsified Asphalt by a Rotational Paddle Viscometer |
| Т 383-18 | Evaluation of Asphalt Release Agents (ARAs) |

BOX CULVERT, CULVERT PIPE, AND DRAIN PIPE

| T 241-95 (2017) | Helical Continuously Welded Seam Corrugated Steel Pipe |
|-----------------|--|
| T 249-03 (2016) | Helical Lock Seam Corrugated Pipe |
| T 280-14 (2018) | Concrete Pipe, Manhole Sections, or Tile |
| T 281-14 (2018) | Vitrified Clay Pipe |
| T 341-10 (2014) | Determination of Compression Capacity for Profile Wall Plastic Pipe by Stub Compression Loading |

CONCRETE, CURING MATERIALS, AND ADMIXTURES

| Т 22-17 | Compressive Strength of Cylindrical Concrete Specimens |
|------------------------|---|
| Т 23-18 | Making and Curing Concrete Test Specimens in the Field |
| T 24M/T 24-15 | Obtaining and Testing Drilled Cores and Sawed Beams of Concrete |
| Т 97-18 | Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading) |
| T 119M/T 119-18 | Slump of Hydraulic Cement Concrete |
| T 121M/T 121-17 | Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete |
| T 140-97 (2016) | Compressive Strength of Concrete Using Portions of Beams Broken in Flexure |
| T 148-15 | Measuring Length of Drilled Concrete Cores |
| Т 152-17 | Air Content of Freshly Mixed Concrete by the Pressure Method |
| T 155-13 (2017) | Water Retention by Liquid Membrane-Forming Curing Compounds for Concrete |
| T 157-12 (2016) | Air-Entraining Admixtures for Concrete |
| T 158-11 (2015) | Bleeding of Concrete |
| Т 160-17 | Length Change of Hardened Hydraulic Cement Mortar and Concrete |
| Т 161-17 | Resistance of Concrete to Rapid Freezing and Thawing |
| Т 177-17 | Flexural Strength of Concrete (Using Simple Beam with Center-Point Loading) |
| Т 178-15 | Portland-Cement Content of Hardened Hydraulic-Cement Concrete |
| T 196M/T 196-11 (2015) | Air Content of Freshly Mixed Concrete by the Volumetric Method |
| T 197M/T 197-11 (2015) | Time of Setting of Concrete Mixtures by Penetration Resistance |
| Т 198-15 | Splitting Tensile Strength of Cylindrical Concrete Specimens |
| Т 231-17 | Capping Cylindrical Concrete Specimens |

| Number | Title |
|-----------------|--|
| T 253-02 (2016) | Coated Dowel Bars |
| T 259-02 (2017) | Resistance of Concrete to Chloride Ion Penetration |
| T 260-97 (2016) | Sampling and Testing for Chloride Ion in Concrete and Concrete Raw Materials |
| T 276-17 | Measuring Early-Age Compression Strength and Projecting Later-Age Strength |
| T 277-15 | Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration |
| T 285-89 (2015) | Bend Test for Bars for Concrete Reinforcement |
| T 303-00 (2017) | Accelerated Detection of Potentially Deleterious Expansion of Mortar Bars Due to Alkali–Silica Reaction |
| Т 309-15 | Temperature of Freshly Mixed Portland Cement Concrete |
| T 318-15 | Water Content of Freshly Mixed Concrete Using Microwave Oven Drying |
| T 325-04 (2016) | Estimating the Strength of Concrete in Transportation Construction by Maturity Tests |
| T 332-07 (2016) | Determining Chloride Ions in Concrete and Concrete Materials by Specific Ion Probe |
| T 334-08 (2016) | Estimating the Cracking Tendency of Concrete |
| Т 336-15 | Coefficient of Thermal Expansion of Hydraulic Cement Concrete |
| T 345-12 (2016) | Passing Ability of Self-Consolidating Concrete (SCC) by J-Ring |
| Т 347-13 (2017) | Slump Flow of Self-Consolidating Concrete (SCC) |
| T 348-13 (2018) | Air-Void Characteristics of Freshly Mixed Concrete by Buoyancy Change |
| T 349-13 (2017) | Filling Capacity of Self-Consolidating Concrete Using the Caisson Test |
| T 351-14 (2018) | Visual Stability Index (VSI) of Self-Consolidating Concrete (SCC) |
| T 352-14 (2018) | Determining Formwork Pressure of Fresh Self-Consolidating Concrete (SCC) Using Pressure Transducers |
| T 356-15 | Determining Air Content of Hardened Portland Cement Concrete by High-Pressure Air Meter |
| T 357-15 | Predicting Chloride Penetration of Hydraulic Cement Concrete by the Rapid Migration Procedure |
| T 358-17 | Surface Resistivity Indication of Concrete's Ability to Resist Chloride Ion Penetration |
| T 359M/T 359-18 | Pavement Thickness by Magnetic Pulse Induction |
| T 363-17 | Evaluating Stress Development and Cracking Potential due to Restrained Volume Change Using a Dual Ring Test |
| T 364-17 | Determination of Composite Activation Energy of Aggregates due to Alkali-Silica Reaction (Chemical Method) |
| T 365-17 | Quantifying Calcium Oxychloride Amounts in Cement Pastes Exposed to Deicing Salts |
| T 373M/T 373-17 | Comparative Qualitative Corrosion Characterization of Steel Bars Used for Concrete Reinforcement (Linear Polarization Resistance and Potentiodynamic Polarization Tests) |

| Number | Title |
|-----------------|---|
| T 374M/T 374-17 | Comparative Qualitative Corrosion Characterization of Uncoated Chromium-Alloyed Steel Bars Used for Concrete Reinforcement (Tombstone Test) |
| T 375M/T 375-17 | Identification of Iron-Based Alloy Steel Bars for Concrete Reinforcement or Dowels by Handheld X-Ray Fluorescence (XRF) Spectrometer |
| T 376M/T 376-17 | Macrocell Slab Chloride Threshold |
| Т 379-18 | Nonlinear Impact Resonance Acoustic Spectroscopy (NIRAS) for Concrete Specimens with Damage from Alkali-Silica Reaction (ASR) |

HYDRAULIC CEMENT

| T 98M/T 98-12 (2016) | Fineness of Portland Cement by the Turbidimeter |
|----------------------|--|
| T 105-16 | Chemical Analysis of Hydraulic Cement |
| T 106M/T 106-18 | Compressive Strength of Hydraulic Cement Mortar (Using 50-mm or 2- in. Cube Specimens) |
| T 107M/T 107-18 | Autoclave Expansion of Hydraulic Cement |
| T 129-14 (2018) | Amount of Water Required for Normal Consistency of Hydraulic Cement Paste |
| Т 131-15 | Time of Setting of Hydraulic Cement by Vicat Needle |
| T 132-87 (2018) | Tensile Strength of Hydraulic Cement Mortars |
| Т 133-16 | Density of Hydraulic Cement |
| T 137-12 (2016) | Air Content of Hydraulic Cement Mortar |
| T 153-13 (2017) | Fineness of Hydraulic Cement by Air Permeability Apparatus |
| T 154-18 | Time of Setting of Hydraulic Cement by Gillmore Needles |
| T 162-16 | Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency |
| T 185-15 | Early Stiffening of Hydraulic Cement (Mortar Method) |
| T 186-15 | Early Stiffening of Hydraulic Cement (Paste Method) |
| T 188-05 (2017) | Evaluation by Freezing and Thawing of Air-Entraining Additions to Hydraulic Cement |
| T 192-11 (2015) | Fineness of Hydraulic Cement by the 45-µm (No. 325) Sieve |
| T 323-03 (2016) | Determining the Shear Strength at the Interface of Bonded Layers of Portland Cement Concrete |
| T 353-14 (2018) | Particle Size Analysis of Hydraulic Cement and Related Materials by Light Scattering |

JOINT FILLER, SEALANTS, AND ASPHALT PLANK

| T 42-10 (2015) | <i>Discontinued</i> —Preformed Expansion Joint Filler for Concrete Construction |
|----------------|---|
| Т 366-18 | Apparent Viscosity of Hot-Poured Asphalt Crack Sealant Using Rotational Viscometer |
| Т 367-17 | Accelerated Aging of Hot-Poured Asphalt Crack Sealant Using a Vacuum Oven |

| Number | Title |
|----------|---|
| T 368-17 | Measuring Low-Temperature Flexural Creep Stiffness of Hot-Poured Asphalt Crack Sealant by Bending Beam Rheometer (BBR) |
| T 369-17 | Evaluation of the Low-Temperature Tensile Property of Hot-Poured Asphalt Crack Sealant by Direct Tension Test |
| Т 370-18 | Measuring Adhesion of Hot-Poured Asphalt Crack Sealant Using Direct Adhesion Tester |
| Т 371-17 | Measuring Interfacial Fracture Energy of Hot-Poured Asphalt Crack Sealant Using a Blister Test |

METALLIC MATERIALS FOR BRIDGES

| T 65M/T 65-13 (2017) | Mass [Weight] of Coating on Iron and Steel Articles with Zinc or Zinc- Alloy Coatings |
|------------------------|--|
| T 213M/T 213-11 (2015) | Mass [Weight] of Coating on Aluminum-Coated Iron or Steel Articles |
| T 243M/T 243-08 (2017) | Sampling Procedure for Impact Testing of Structural Steel |
| T 244-18 | Mechanical Testing of Steel Products |
| T 337-09 (2014) | Non-Instrumental Determination of Metallic Zinc in Zinc-Rich Primers |
| T 338-09 (2014) | Analysis of Structural Steel Coatings for Hindered Amine Light Stabilizer (HALS) |
| T 339-10 (2015) | Analysis of Structural Steel Coatings for Isocyanate Content |
| T 372M/T 372-17 | Sensitivity of Stainless Steel to Intergranular Attack |
| | |

MISCELLANEOUS

| T 256-01 (2016) | Pavement Deflection Measurements |
|-----------------|---|
| T 257-96 (2018) | Instrumental Photometric Measurements of Retroflective Materials and Retroflective Devices |

PAINTING AND TRAFFIC MARKING AND SIGNING

| T 143-13 (2017) | Sampling and Testing Calcium Chloride for Roads and Structural Applications |
|-----------------|---|
| T 237-05 (2014) | Testing Epoxy Resin Adhesive |
| T 250-05 (2014) | Thermoplastic Traffic Line Material |
| T 333-07 (2017) | Linear Coefficient of Shrinkage on Cure of Adhesive Systems |
| T 346-13 (2017) | Glass Beads Used in Pavement Markings |

PAVEMENT SURFACE CHARACTERISTICS

| T 242-18 | Frictional Properties of Paved Surfaces Using a Full-Scale Tire |
|-----------------|--|
| T 278-90 (2017) | Surface Frictional Properties Using the British Pendulum Tester |
| T 282-01 (2015) | Calibrating a Wheel Force or Torque Transducer Using a Calibration Platform (User Level) |
| T 317-04 (2018) | Prediction of Asphalt-Bound Pavement Layer Temperatures |
| Т 360-16 | Measurement of Tire/Pavement Noise Using the On-Board Sound Intensity (OBSI) Method |

Number

Title

SOILS AND STABILIZATION

| T 88-13 (2017) | Particle Size Analysis of Soils |
|-----------------|--|
| T 89-13 (2017) | Determining the Liquid Limit of Soils |
| Т 90-16 | Determining the Plastic Limit and Plasticity Index of Soils |
| Т 99-18 | Moisture–Density Relations of Soils Using a 2.5-kg (5.5-lb) Rammer and a 305-mm (12-in.) Drop |
| T 100-15 | Specific Gravity of Soils |
| T 134-05 (2018) | Moisture-Density Relations of Soil-Cement Mixtures |
| T 135-13 (2017) | Wetting-and-Drying Test of Compacted Soil-Cement Mixtures |
| T 136-13 (2017) | Freezing-and-Thawing Tests of Compacted Soil-Cement Mixtures |
| Т 176-17 | Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test |
| T 180-18 | Moisture–Density Relations of Soils Using a 4.54-kg (10-lb) Rammer and a 457-mm (18-in.) Drop |
| T 190-14 (2018) | Resistance R-Value and Expansion Pressure of Compacted Soils |
| T 191-14 (2018) | Density of Soil In-Place by the Sand-Cone Method |
| T 193-13 (2017) | The California Bearing Ratio |
| T 194-97 (2018) | Determination of Organic Matter in Soils by Wet Combustion |
| T 206-09 (2013) | Penetration Test and Split-Barrel Sampling of Soils |
| T 207-12 (2016) | Thin-Walled Tube Sampling of Soils |
| T 208-15 | Unconfined Compressive Strength of Cohesive Soil |
| T 211-90 (2017) | Determination of Cement Content in Cement-Treated Aggregate by the Method of Titration |
| T 215-14 (2018) | Permeability of Granular Soils (Constant Head) |
| T 216-07 (2016) | One-Dimensional Consolidation Properties of Soils |
| T 217-14 (2018) | Determination of Moisture in Soils by Means of a Calcium Carbide Gas Pressure Moisture Tester |
| T 218-86 (2018) | Sampling Hydrated Lime |
| T 219-87 (2018) | Testing Lime for Chemical Constituents and Particle Sizes |
| T 220-66 (2018) | Determination of the Strength of Soil-Lime Mixtures |
| T 221-90 (2017) | Repetitive Static Plate Load Tests of Soils and Flexible Pavement Components for Use in Evaluation and Design of Airport and Highway Pavements |
| T 222-81 (2017) | Nonrepetitive Static Plate Load Test of Soils and Flexible Pavement Components for Use in Evaluation and Design of Airport and Highway Pavements |
| T 223-96 (2017) | Field Vane Shear Test in Cohesive Soil |
| Т 225-16 | Diamond Core Drilling for Site Investigation |
| T 226-90 (2018) | Triaxial Compressive Strength of Undrained Rock Core Specimens without Pore Pressure Measurements |
| T 232-90 (2018) | Determination of Lime Content in Lime-Treated Soils by Titration |

| Number | Title |
|-----------------|---|
| T 233-02 (2015) | Density of Soil In-Place by Block, Chunk, or Core Sampling |
| T 236-08 (2018) | Direct Shear Test of Soils under Consolidated Drained Conditions |
| T 252-09 (2018) | Measurements of Pore Pressures in Soils |
| T 258-81 (2018) | Determining Expansive Soils |
| Т 265-15 | Laboratory Determination of Moisture Content of Soils |
| T 267-86 (2018) | Determination of Organic Content in Soils by Loss on Ignition |
| T 272-18 | One-Point Method for Determining Maximum Dry Density and Optimum Moisture |
| T 273-86 (2018) | Soil Suction |
| T 288-12 (2016) | Determining Minimum Laboratory Soil Resistivity |
| T 289-91 (2018) | Determining pH of Soil for Use in Corrosion Testing |
| T 290-95 (2016) | Determining Water-Soluble Sulfate Ion Content in Soil |
| T 291-94 (2018) | Determining Water-Soluble Chloride Ion Content in Soil |
| T 296-10 (2016) | Unconsolidated, Undrained Compressive Strength of Cohesive Soils in Triaxial Compression |
| Т 298-15 | High-Strain Dynamic Testing of Piles |
| T 306-11 (2015) | Progressing Auger Borings for Geotechnical Explorations |
| T 307-99 (2017) | Determining the Resilient Modulus of Soils and Aggregate Materials |
| T 310-13 (2017) | In-Place Density and Moisture Content of Soil and Soil–Aggregate by Nuclear Methods (Shallow Depth) |
| T 311-00 (2015) | Grain-Size Analysis of Granular Soil Materials |

DELETED STANDARD

PART 2—STANDARD TESTS NUMERICAL SEQUENCE TABLE OF CONTENTS

| Number | Title |
|----------------------|---|
| T 2-91 (2015) | Reclassified—Sampling of Aggregates |
| T 11-05 (2018) | Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing |
| T 19M/T 19-14 (2018) | Bulk Density ("Unit Weight") and Voids in Aggregate |
| T 21M/T 21-15 | Organic Impurities in Fine Aggregates for Concrete |
| Т 22-17 | Compressive Strength of Cylindrical Concrete Specimens |
| Т 23-18 | Making and Curing Concrete Test Specimens in the Field |
| T 24M/T 24-15 | Obtaining and Testing Drilled Cores and Sawed Beams of Concrete |
| T 27-14 (2018) | Sieve Analysis of Fine and Coarse Aggregates |
| Т 30-15 | Mechanical Analysis of Extracted Aggregate |
| T 37-07 (2016) | Sieve Analysis of Mineral Filler for Hot Mix Asphalt (HMA) |
| T 42-10 (2015) | Discontinued—Preformed Expansion Joint Filler for Concrete Construction |
| T 44-14 (2018) | Solubility of Bituminous Materials |
| T 48-18 | Flash Fire Point of Asphalt Binder by Cleveland Open Cup |
| Т 49-15 | Penetration of Bituminous Materials |
| T 50-14 (2018) | Float Test for Bituminous Materials |
| T 51-09 (2018) | Ductility of Asphalt Materials |
| T 53-09 (2018) | Softening Point of Bitumen (Ring-and-Ball Apparatus) |
| Т 59-16 | Emulsified Asphalts |
| T 65M/T 65-13 (2017) | Mass [Weight] of Coating on Iron and Steel Articles with Zinc or Zinc-Alloy Coatings |
| T 71-08 (2017) | Effect of Organic Impurities in Fine Aggregate on Strength of Mortar |
| T 72-10 (2015) | Saybolt Viscosity |
| Т 78-15 | Distillation of Cutback Asphalt Products |
| T 79-12 (2016) | Flash Point with Tag Open-Cup Apparatus for Use with Material Having a Flash Point Less Than 93°C (200°F) |
| T 84-13 (2017) | Specific Gravity and Absorption of Fine Aggregate |
| T 85-14 (2018) | Specific Gravity and Absorption of Coarse Aggregate |
| T 88-13 (2017) | Particle Size Analysis of Soils |
| T 89-13 (2017) | Determining the Liquid Limit of Soils |
| Т 90-16 | Determining the Plastic Limit and Plasticity Index of Soils |
| | |

| Number | Title |
|----------------------|--|
| T 96-02 (2015) | Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine |
| T 97-18 | Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading) |
| T 98M/T 98-12 (2016) | Fineness of Portland Cement by the Turbidimeter |
| T 99-18 | Moisture–Density Relations of Soils Using a 2.5-kg (5.5-lb) Rammer and a 305-mm (12-in.) Drop |
| T 100-15 | Specific Gravity of Soils |
| T 102-09 (2018) | Spot Test of Asphaltic Materials |
| T 103-08 (2017) | Soundness of Aggregates by Freezing and Thawing |
| T 104-99 (2016) | Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate |
| T 105-16 | Chemical Analysis of Hydraulic Cement |
| T 106M/T 106-18 | Compressive Strength of Hydraulic Cement Mortar (Using 50-mm or 2-in. Cube Specimens) |
| T 107M/T 107-18 | Autoclave Expansion of Hydraulic Cement |
| T 110-03 (2016) | Moisture or Volatile Distillates in Hot Mix Asphalt (HMA) |
| T 111-11 (2015) | Mineral Matter or Ash in Asphalt Materials |
| T 112-00 (2017) | Clay Lumps and Friable Particles in Aggregate |
| T 113-18 | Lightweight Pieces in Aggregate |
| T 119M/T 119-18 | Slump of Hydraulic Cement Concrete |
| T 121M/T 121-17 | Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete |
| T 129-14 (2018) | Amount of Water Required for Normal Consistency of Hydraulic Cement Paste |
| T 131-15 | Time of Setting of Hydraulic Cement by Vicat Needle |
| T 132-87 (2018) | Tensile Strength of Hydraulic Cement Mortars |
| Т 133-16 | Density of Hydraulic Cement |
| T 134-05 (2018) | Moisture–Density Relations of Soil–Cement Mixtures |
| T 135-13 (2017) | Wetting-and-Drying Test of Compacted Soil-Cement Mixtures |
| T 136-13 (2017) | Freezing-and-Thawing Tests of Compacted Soil-Cement Mixtures |
| T 137-12 (2016) | Air Content of Hydraulic Cement Mortar |
| T 140-97 (2016) | Compressive Strength of Concrete Using Portions of Beams Broken in Flexure |
| T 143-13 (2017) | Sampling and Testing Calcium Chloride for Roads and Structural Applications |
| T 148-15 | Measuring Length of Drilled Concrete Cores |
| Т 152-17 | Air Content of Freshly Mixed Concrete by the Pressure Method |
| T 153-13 (2017) | Fineness of Hydraulic Cement by Air Permeability Apparatus |

| Number | Title |
|------------------------|--|
| T 154-18 | Time of Setting of Hydraulic Cement Paste by Gillmore Needles |
| T 155-13 (2017) | Water Retention by Liquid Membrane-Forming Curing Compounds for Concrete |
| T 157-12 (2016) | Air-Entraining Admixtures for Concrete |
| T 158-11 (2015) | Bleeding of Concrete |
| Т 160-17 | Length Change of Hardened Hydraulic Cement Mortar and Concrete |
| T 161-17 | Resistance of Concrete to Rapid Freezing and Thawing |
| T 162-16 | Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency |
| T 164-14 (2018) | Quantitative Extraction of Asphalt Binder from Hot Mix Asphalt (HMA) |
| T 166-16 | Bulk Specific Gravity (G_{mb}) of Compacted Asphalt Mixtures Using Saturated Surface-Dry Specimens |
| T 167-10 (2015) | Compressive Strength of Hot Mix Asphalt |
| T 168-03 (2016) | Sampling Bituminous Paving Mixtures |
| T 176-17 | Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test |
| T 177-17 | Flexural Strength of Concrete (Using Simple Beam with Center-Point Loading) |
| Т 178-15 | Portland-Cement Content of Hardened Hydraulic-Cement Concrete |
| T 179-05 (2018) | Effect of Heat and Air on Asphalt Materials (Thin-Film Oven Test) |
| T 180-18 | Moisture–Density Relations of Soils Using a 4.54-kg (10-lb) Rammer and a 457-mm (18-in.) Drop |
| T 185-15 | Early Stiffening of Hydraulic Cement (Mortar Method) |
| T 186-15 | Early Stiffening of Hydraulic Cement (Paste Method) |
| T 188-05 (2017) | Evaluation by Freezing and Thawing of Air-Entraining Additions to Hydraulic Cement |
| T 190-14 (2018) | Resistance R-Value and Expansion Pressure of Compacted Soils |
| T 191-14 (2018) | Density of Soil In-Place by the Sand-Cone Method |
| T 192-11 (2015) | Fineness of Hydraulic Cement by the 45- μ m (No. 325) Sieve |
| T 193-13 (2017) | The California Bearing Ratio |
| T 194-97 (2018) | Determination of Organic Matter in Soils by Wet Combustion |
| T 195-18 | Determining Degree of Particle Coating of Asphalt Mixtures |
| T 196M/T 196-11 (2015) | Air Content of Freshly Mixed Concrete by the Volumetric Method |
| T 197M/T 197-11 (2015) | Time of Setting of Concrete Mixtures by Penetration Resistance |
| T 198-15 | Splitting Tensile Strength of Cylindrical Concrete Specimens |
| T 201-15 | Kinematic Viscosity of Asphalts (Bitumens) |

| Number | Title |
|------------------------|--|
| T 202-15 | Viscosity of Asphalts by Vacuum Capillary Viscometer |
| T 206-09 (2018) | Penetration Test and Split-Barrel Sampling of Soils |
| T 207-12 (2016) | Thin-Walled Tube Sampling of Soils |
| T 208-15 | Unconfined Compressive Strength of Cohesive Soil |
| T 209-12 (2016) | Theoretical Maximum Specific Gravity (G_{mm}) and Density of Hot Mix Asphalt (HMA) |
| T 210-15 | Aggregate Durability Index |
| T 211-90 (2017) | Determination of Cement Content in Cement-Treated Aggregate by the Method of Titration |
| T 213M/T 213-11 (2015) | Mass [Weight] of Coating on Aluminum-Coated Iron or Steel Articles |
| T 215-14 (2018) | Permeability of Granular Soils (Constant Head) |
| T 216-07 (2016) | One-Dimensional Consolidation Properties of Soils |
| T 217-14 (2018) | Determination of Moisture in Soils by Means of a Calcium Carbide Gas Pressure Moisture Tester |
| T 218-86 (2018) | Sampling Hydrated Lime |
| T 219-87 (2018) | Testing Lime for Chemical Constituents and Particle Sizes |
| T 220-66 (2018) | Determination of the Strength of Soil-Lime Mixtures |
| T 221-90 (2017) | Repetitive Static Plate Load Test of Soils and Flexible Pavement Components for Use in Evaluation and Design of Airport and Highway Pavements |
| T 222-81 (2017) | Nonrepetitive Static Plate Load Test of Soils and Flexible Pavement Components for Use in Evaluation and Design of Airport and Highway Pavements |
| T 223-96 (2017) | Field Vane Shear Test in Cohesive Soil |
| Т 225-16 | Diamond Core Drilling for Site Investigation |
| T 226-90 (2018) | Triaxial Compressive Strength of Undrained Rock Core Specimens without Pore Pressure Measurements |
| T 228-09 (2018) | Specific Gravity of Semi-Solid Asphalt Materials |
| T 231-17 | Capping Cylindrical Concrete Specimens |
| T 232-90 (2018) | Determination of Lime Content in Lime-Treated Soils by Titration |
| T 233-02 (2015) | Density of Soil In-Place by Block, Chunk, or Core Sampling |
| T 236-08 (2018) | Direct Shear Test of Soils under Consolidated Drained Conditions |
| T 237-05 (2014) | Testing Epoxy Resin Adhesive |
| T 240-13 (2017) | Effect of Heat and Air on a Moving Film of Asphalt Binder (Rolling Thin- Film Oven Test) |
| T 241-95 (2017) | Helical Continuously Welded Seam Corrugated Steel Pipe |

| Number | Title |
|------------------------|--|
| T 242-18 | Frictional Properties of Paved Surfaces Using a Full-Scale Tire |
| T 243M/T 243-08 (2017) | Sampling Procedure for Impact Testing of Structural Steel |
| T 244-18 | Mechanical Testing of Steel Products |
| T 245-15 | Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus |
| T 246-10 (2015) | Resistance to Deformation and Cohesion of Hot Mix Asphalt (HMA) by Means of Hveem Apparatus |
| T 247-10 (2015) | Preparation of Test Specimens of Hot Mix Asphalt (HMA) by Means of California Kneading Compactor |
| T 249-03 (2016) | Helical Lock Seam Corrugated Pipe |
| T 250-05 (2014) | Thermoplastic Traffic Line Material |
| T 252-09 (2018) | Measurements of Pore Pressures in Soils |
| T 253-02 (2016) | Coated Dowel Bars |
| T 255-00 (2017) | Total Evaporable Moisture Content of Aggregate by Drying |
| T 256-01 (2016) | Pavement Deflection Measurements |
| T 257-96 (2018) | Instrumental Photometric Measurements of Retroreflective Materials and Retroreflective Devices |
| T 258-81 (2018) | Determining Expansive Soils |
| T 259-02 (2017) | Resistance of Concrete to Chloride Ion Penetration |
| T 260-97 (2016) | Sampling and Testing for Chloride Ion in Concrete and Concrete Raw Materials |
| T 265-15 | Laboratory Determination of Moisture Content of Soils |
| T 267-86 (2018) | Determination of Organic Content in Soils by Loss on Ignition |
| T 269-14 (2018) | Percent Air Voids in Compacted Dense and Open Asphalt Mixtures |
| T 272-18 | One-Point Method for Determining Maximum Dry Density and Optimum Moisture |
| T 273-86 (2018) | Soil Suction |
| T 275-17 | Bulk Specific Gravity (G_{mb}) of Compacted Asphalt Mixtures Using Paraffin-Coated Specimens |
| T 276-17 | Measuring Early-Age Compression Strength and Projecting Later-Age Strength |
| Т 277-15 | Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration |
| T 278-90 (2017) | Surface Frictional Properties Using the British Pendulum Tester |
| T 279-18 | Accelerated Polishing of Aggregates Using the British Wheel |
| T 280-14 (2018) | Concrete Pipe, Manhole Sections, or Tile |
| T 281-14 (2018) | Vitrified Clay Pipe |

| Number | Title |
|-----------------|--|
| T 282-01 (2015) | Calibrating a Wheel Force or Torque Transducer Using a Calibration Platform (User Level) |
| T 283-14 (2018) | Resistance of Compacted Asphalt Mixtures to Moisture-Induced Damage |
| T 285-89 (2015) | Bend Test for Bars for Concrete Reinforcement |
| T 287-14 (2018) | Asphalt Binder Content of Asphalt Mixtures by the Nuclear Method |
| T 288-12 (2016) | Determining Minimum Laboratory Soil Resistivity |
| T 289-91 (2018) | Determining pH of Soil for Use in Corrosion Testing |
| T 290-95 (2016) | Determining Water-Soluble Sulfate Ion Content in Soil |
| T 291-94 (2018) | Determining Water-Soluble Chloride Ion Content in Soil |
| T 295-13 (2017) | Specific Gravity or API Gravity of Liquid Asphalts by Hydrometer Method |
| T 296-10 (2016) | Unconsolidated, Undrained Compressive Strength of Cohesive Soils in Triaxial Compression |
| T 298-15 | High-Strain Dynamic Testing of Piles |
| T 300-11 (2016) | Force Ductility Test of Asphalt Materials |
| Т 301-13 (2017) | Elastic Recovery Test of Asphalt Materials by Means of a Ductilometer |
| T 302-15 | Polymer Content of Polymer-Modified Emulsified Asphalt Residue and Asphalt Binders |
| T 303-00 (2017) | Accelerated Detection of Potentially Deleterious Expansion of Mortar Bars Due to Alkali–Silica Reaction |
| Т 304-17 | Uncompacted Void Content of Fine Aggregate |
| T 305-14 (2018) | Determination of Draindown Characteristics in Uncompacted Asphalt Mixtures |
| T 306-11 (2015) | Progressing Auger Borings for Geotechnical Explorations |
| Т 307-99 (2017) | Determining the Resilient Modulus of Soils and Aggregate Materials |
| T 308-18 | Determining the Asphalt Binder Content of Hot Mix Asphalt (HMA) by the Ignition Method |
| Т 309-15 | Temperature of Freshly Mixed Portland Cement Concrete |
| T 310-13 (2017) | In-Place Density and Moisture Content of Soil and Soil–Aggregate by Nuclear Methods (Shallow Depth) |
| T 311-00 (2015) | Grain-Size Analysis of Granular Soil Materials |
| T 312-15 | Preparing and Determining the Density of Asphalt Mixture Specimens by Means of the Superpave Gyratory Compactor |
| T 313-12 (2016) | Determining the Flexural Creep Stiffness of Asphalt Binder Using the Bending Beam Rheometer (BBR) |
| T 314-12 (2016) | Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT) |
| T 315-12 (2016) | Determining the Rheological Properties of Asphalt Binder Using a Dynamic Shear Rheometer (DSR) |

| Number | Title |
|-----------------|--|
| T 316-13 (2017) | Viscosity Determination of Asphalt Binder Using Rotational Viscometer |
| T 317-04 (2018) | Prediction of Asphalt-Bound Pavement Layer Temperatures |
| Т 318-15 | Water Content of Freshly Mixed Concrete Using Microwave Oven Drying |
| T 319-15 | Quantitative Extraction and Recovery of Asphalt Binder from Asphalt Mixtures |
| T 320-07 (2016) | Determining the Permanent Shear Strain and Stiffness of Asphalt Mixtures Using the Superpave Shear Tester (SST) |
| T 321-17 | Determining the Fatigue Life of Compacted Asphalt Mixtures Subjected to Repeated Flexural Bending |
| T 322-07 (2016) | Determining the Creep Compliance and Strength of Hot Mix Asphalt (HMA) Using the Indirect Tensile Test Device |
| T 323-03 (2016) | Determining the Shear Strength at the Interface of Bonded Layers of Portland Cement Concrete |
| Т 324-17 | Hamburg Wheel-Track Testing of Compacted Asphalt Mixtures |
| T 325-04 (2016) | Estimating the Strength of Concrete in Transportation Construction by Maturity Tests |
| T 326-05 (2018) | Uncompacted Void Content of Coarse Aggregate (As Influenced by Particle Shape, Surface Texture, and Grading) |
| T 327-12 (2016) | Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro- Deval Apparatus |
| Т 329-15 | Moisture Content of Asphalt Mixtures by Oven Method |
| T 330-07 (2015) | The Qualitative Detection of Harmful Clays of the Smectite Group in Aggregates Using Methylene Blue |
| T 331-13 (2017) | Bulk Specific Gravity (G_{mb}) and Density of Compacted Asphalt Mixtures Using Automatic Vacuum Sealing Method |
| T 332-07 (2016) | Determining Chloride Ions in Concrete and Concrete Materials by Specific Ion Probe |
| T 333-07 (2017) | Linear Coefficient of Shrinkage on Cure of Adhesive Systems |
| T 334-08 (2016) | Estimating the Cracking Tendency of Concrete |
| T 335-09 (2018) | Determining the Percentage of Fracture in Coarse Aggregate |
| Т 336-15 | Coefficient of Thermal Expansion of Hydraulic Cement Concrete |
| T 337-09 (2014) | Non-Instrumental Determination of Metallic Zinc in Zinc-Rich Primers |
| T 338-09 (2014) | Analysis of Structural Steel Coatings for Hindered Amine Light Stabilizer (HALS) |
| T 339-10 (2015) | Analysis of Structural Steel Coatings for Isocyanate Content |
| T 340-10 (2015) | Determining Rutting Susceptibility of Hot Mix Asphalt (HMA) Using the Asphalt Pavement Analyzer (APA) |

| Number | Title |
|-----------------|--|
| T 341-10 (2014) | Determination of Compression Capacity for Profile Wall Plastic Pipe by Stub Compression Loading |
| T 342-11 (2015) | Determining Dynamic Modulus of Hot Mix Asphalt (HMA) |
| T 343-12 (2016) | Density of In-Place Hot Mix Asphalt (HMA) Pavement by Electronic Surface Contact Devices |
| T 344-12 (2016) | Evaluation of Superpave Gyratory Compactor (SGC) Internal Angle of Gyration Using Simulated Loading |
| T 345-12 (2016) | Passing Ability of Self-Consolidating Concrete (SCC) by J-Ring |
| T 346-13 (2017) | Glass Beads Used in Pavement Markings |
| Т 347-13 (2017) | Slump Flow of Self-Consolidating Concrete (SCC) |
| T 348-13 (2018) | Air-Void Characteristics of Freshly Mixed Concrete by Buoyancy Change |
| T 349-13 (2017) | Filling Capacity of Self-Consolidating Concrete Using the Caisson Test |
| T 350-14 (2018) | Multiple Stress Creep Recovery (MSCR) Test of Ashpalt Binder Using a Dynamic Shear Rheometer (DSR) |
| T 351-14 (2018) | Visual Stability Index (VSI) of Self-Consolidating Concrete (SCC) |
| T 352-14 (2018) | Determining Formwork Pressure of Fresh Self-Consolidating Concrete (SCC) Using Pressure Transducers |
| T 353-14 (2018) | Particle Size Analysis of Hydraulic Cement and Related Materials by Light Scattering |
| T 354-17 | Specific Gravity and Absorption of Aggregate by Volumetric Immersion Method |
| Т 355-18 | In-Place Density of Asphalt Mixtures by Nuclear Methods |
| T 356-15 | Determining Air Content of Hardened Portland Cement Concrete by High- Pressure Air Meter |
| T 357-15 | Predicting Chloride Penetration of Hydraulic Cement Concrete by the Rapid Migration Procedure |
| T 358-17 | Surface Resistivity Indication of Concrete's Ability to Resist Chloride Ion Penetration |
| T 359M/T 359-18 | Pavement Thickness by Magnetic Pulse Induction |
| T 360-16 | Measurement of Tire/Pavement Noise Using the On-Board Sound Intensity (OBSI) Method |
| T 361-16 | Determining Asphalt Binder Bond Strength by Means of the Binder Bond Strength (BBS) Test |
| Т 362-17 | Quantitative Determination of the Percentage of Lime in Asphalt Mixtures |
| T 363-17 | Evaluating Stress Development and Cracking Potential due to Restrained Volume Change Using a Dual Ring Test |
| T 364-17 | Determination of Composite Activation Energy of Aggregates due to Alkali- Silica Reaction (Chemical Method) |

| Number | Title |
|-----------------|--|
| Т 365-17 | Quantifying Calcium Oxychloride Amounts in Cement Pastes Exposed to Deicing Salts |
| T 366-18 | Apparent Viscosity of Hot-Poured Asphalt Crack Sealant Using Rotational Viscometer |
| Т 367-17 | Accelerated Aging of Hot-Poured Asphalt Crack Sealant Using a Vacuum Oven |
| T 368-17 | Measuring Low-Temperature Flexural Creep Stiffness of Hot-Poured Asphalt Crack Sealant by Bending Beam Rheometer (BBR) |
| Т 369-17 | Evaluation of the Low-Temperature Tensile Property of Hot-Poured Asphalt Crack Sealant by Direct Tension Test |
| Т 370-18 | Measuring Adhesion of Hot-Poured Asphalt Crack Sealant Using Direct Adhesion Tester |
| Т 371-17 | Measuring Interfacial Fracture Energy of Hot-Poured Asphalt Crack Sealant Using a Blister Test |
| T 372M/T 372-17 | Sensitivity of Stainless Steel to Intergranular Attack |
| T 373M/T 373-17 | Comparative Qualitative Corrosion Characterization of Steel Bars Used for Concrete Reinforcement (Linear Polarization Resistance and Potentiodynamic Polarization Tests) |
| T 374M/T 374-17 | Comparative Qualitative Corrosion Characterization of Uncoated Chromium- Alloyed Steel Bars Used for Concrete Reinforcement (Tombstone Test) |
| T 375M/T 375-17 | Identification of Iron-Based Alloy Steel Bars for Concrete Reinforcement or Dowels by Handheld X-Ray Fluorescence (XRF) Spectrometer |
| T 376M/T 376-17 | Microcell Slab Chloride Threshold |
| Т 377-17 | Detecting the Presence of Phosphorus in Asphalt Binder |
| T 378-17 | Determining the Dynamic Modulus and Flow Number for Asphalt Mixtures Using the Asphalt Mixture Performance Tester (AMPT) |
| T 379-18 | Nonlinear Impact Resonance Acoustic Spectroscopy (NIRAS) for Concrete Specimens with Damage from Alkali-Silica Reaction (ASR) |
| T 380-18 | Potential Alkali Reactivity of Aggregates and Effectiveness of ASR Mitigation Measures (Miniature Concrete Prism Test, MCPT) |
| Т 381-18 | Determining Aggregate Shape Properties by Means of Digital Image Analysis |
| T 382-18 | Determining the Viscosity of Emulsified Asphalt by a Rotational Paddle Viscometer |
| Т 383-18 | Evaluation of Asphalt Release Agents (ARAs) |

DELETED STANDARD

T 297-94 (2016) Consolidated, Undrained Triaxial Compression Test on Cohesive Soils

LIST OF TECHNICAL CHANGES—PART 2

The balloted technical changes listed below are also indicated in the specifications by a change bar in the left margin and by highlighted text (for additions) or struck-through (for deletions) text. Unballoted editorial changes do not receive the change bar, highlighting, or strike-through; however, any standard that is neither revised nor reconfirmed but contains such changes does include an endnote stating that minor editorial revisions have been made.

Release: Group 3 (August 2018)

| Designation Number | Title | Technical Section Number | Balloted Revisions |
|----------------------|---|--------------------------------|---|
| T 2-91 (2015) | Sampling of Aggregates | 1c | Completely rewrote T2 as a standard practice, R 90. |
| T 11-05 (2018) | Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing | 1c | Reconfirmed for 2018 publication. |
| T 19M/T 19-14 (2018) | Bulk Density ("Unit Weight") and Voids in Aggregate | 1c | Reconfirmed for 2018 publication. |
| T 27-14 (2018) | Sieve Analysis of Fine and Coarse Aggregates | 1c | Reconfirmed for 2018 publication. |
| T 44-14 (2018) | Solubility of Bituminous Materials | 2b | Reconfirmed for 2018 publication. |
| T 48-18 | Flash Point of Asphalt Binder by Cleveland Open Cup | 2b | Revised with a correction to the temperatures in Section 1.2, corrections to the figure dimensions in Figures 2 and 3, and the addition of Section 6.1 to require the cup to be cleaned. |
| T 50-14 (2018) | Float Test for Bituminous Materials | 2a | Reconfirmed for 2018 publication. |
| T 51-09 (2018) | Ductility of Asphalt Materials | 2b | Reconfirmed for 2018 publication. |
| T 53-09 (2018) | Softening Point of Bitumen (Ring-and-Ball Apparatus) | 2b | Reconfirmed for 2018 publication. |
| T 85-14 (2018) | Specific Gravity and Absorption of Coarse Aggregate | 1c | Reconfirmed for 2018 publication. |
| Т 99-18 | Moisture–Density Relations of Soils Using a 2.5-kg (5.5-lb) Rammer and a 305-mm (12-in.) Drop | 1b | Revised to remove the 2-inch sieve equipment. |
| T 102-09 (2018) | Spot Test of Asphaltic Materials | 2b | Reconfirmed for 2018 publication. |

| Designation Number | Title | Technical Section Number | Balloted Revisions |
|--------------------|--|--------------------------------|---|
| T 113-18 | Lightweight Particles in Aggregate | 1c | Revised with significant changes to Sections 6, 7, and 8. Section 5.1.2 and reference to kerosene heavy liquid removed. |
| T 134-05 (2018) | Moisture–Density Relations of Soil–Cement Mixtures | 1b | Reconfirmed for 2018 publication. |
| T 164-14 (2018) | Quantitative Extraction of Asphalt Binder from Hot Mix Asphalt (HMA) | 2c | Reconfirmed for 2018 publication. |
| T 179-05 (2018) | Effect of Heat and Air on Asphalt Materials (Thin-Film Oven Test) | 2b | Reconfirmed for 2018 publication. |
| T 180-18 | Moisture–Density Relations of Soils Using a 4.54-kg (10-lb) Rammer and a 457-mm (18-in.) Drop | 1b | Revised to remove the 2-inch sieve equipment. |
| T 190-14 (2018) | Resistance R-Value and Expansion Pressure of Compacted Soils | 1a | Reconfirmed for 2018 publication. |
| T 191-14 (2018) | Density of Soil In-Place by the Sand-Cone Method | 1b | Reconfirmed for 2018 publication. |
| T 194-97 (2018) | Determination of Organic Matter in Soils by Wet Combustion | 1a | Reconfirmed for 2018 publication. |
| T 195-18 | Determining Degree of Particle Coating of Asphalt Mixtures | 2c | Revised to enhance sampling requirements and add a statement concerning samples used to determine precision. |
| T 206-09 (2018) | Penetration Test and Split-Barrel Sampling of Soils | 1b | Reconfirmed for 2018 publication. |
| T 215-14 (2018) | Permeability of Granular Soils (Constant Head) | 1a | Reconfirmed for 2018 publication. |
| T 217-14 (2018) | Determination of Moisture in Soils by Means of a Calcium Carbide Gas Pressure Moisture Tester | 1a | Reconfirmed for 2018 publication. |
| T 220-66 (2018) | Determination of the Strength of Soil-Lime Mixtures | 1a | Reconfirmed for 2018 publication. |
| T 226-90 (2018) | Triaxial Compressive Strength of Undrained Rock Core Specimens without Pore Pressure Measurements | 1a | Reconfirmed for 2018 publication. |
| T 228-09 (2018) | Specific Gravity of Semi-Solid Asphalt Materials | 2b | Reconfirmed for 2018 publication. |
| T 236-08 (2018) | Direct Shear Test of Soils under Consolidated Drained Conditions | 1a | Reconfirmed for 2018 publication. |
| T 252-09 (2018) | Measurements of Pore Pressures in Soils | 1b | Reconfirmed for 2018 publication. |

| Designation Number | Title | Technical Section Number | Balloted Revisions |
|--------------------|--|--------------------------------|--|
| T 258-81 (2018) | Determining Expansive Soils | la | Reconfirmed for 2018 publication. |
| T 267-86 (2018) | Determination of Organic Content in Soils by Loss on Ignition | 1a | Reconfirmed for 2018 publication. |
| T 269-14 (2018) | Percent Air Voids in Compacted Dense and Open Asphalt Mixtures | 2c | Reconfirmed for 2018 publication. |
| T 272-18 | One-Point Method for Determining Maximum Dry Density and Optimum Moisture | 1b | Revised to include new section to instruct users how to handle oversized particle corrections. |
| T 273-86 (2018) | Soil Suction | 1a | Reconfirmed for 2018 publication. |
| T 283-14 (2018) | Resistance of Compacted Asphalt Mixtures to Moisture-Induced Damage | 2d | Reconfirmed for 2018 publication. |
| T 287-14 (2018) | Asphalt Binder Content of Asphalt Mixtures by the Nuclear Method | 2c | Reconfirmed for 2018 publication. |
| T 289-91 (2018) | Determining pH of Soil for Use in Corrosion Testing | la | Reconfirmed for 2018 publication. |
| T 291-94 (2018) | Determining Water-Soluble Chloride Ion Content in Soil | la | Reconfirmed for 2018 publication. |
| T 305-14 (2018) | Determination of Draindown Characteristics in Uncompacted Asphalt Mixtures | 2c | Reconfirmed for 2018 publication. |
| T 308-18 | Determining the Asphalt Binder Content of Hot Mix Asphalt (HMA) by the Ignition Method | 2c | Revised to change "hot mix asphalt" and "HMA" to "asphalt mixture" throughout the method. |
| T 326-05 (2018) | Uncompacted Void Content of Coarse Aggregate (As Influenced by Particle Shape, Surface Texture, and Grading) | 1c | Reconfirmed for 2018 publication. |
| T 335-09 (2018) | Determining the Percentage of Fracture in Coarse Aggregate | 1c | Reconfirmed for 2018 publication. |
| T 350-14 (2018) | Multiple Stress Creep Recovery (MSCR) Test of Asphalt Binder Using a Dynamic Shear Rheometer (DSR) | 2b | Reconfirmed for 2018 publication. |
| T 355-18 | In-Place Density of Asphalt Mixtures by Nuclear Methods | 2c | Revised to add third method to place the gauge parallel to the direction of traffic and perform a four-minute reading in the back-scatter mode, and allow a thin-lift gauge as an alternate device. |
| T 381-18 | Determining Aggregate Shape Properties by Means of Digital Image Analysis | 1c | Adopted AASHTO Provisional standard TP 81 as a new standard test, T 381. |

| Designation Number | Title | Technical Section Number | Balloted Revisions |
|--------------------|---|--------------------------------|---|
| T 382-18 | Determining the Viscosity of Emulsified Asphalt by a Rotational Paddle Viscometer | 2a | Adopted AASHTO Provisional standard TP 121 as a new standard test, T 382. |
| T 383-18 | Evaluation of Asphalt Release Agents (ARAs) | 2b | Adopted AASHTO Provisional standard TP 102 as a new standard test, T 383. |

Release: Group 2 (June 2018)

| Designation Number | Title | Technical Section Number | Balloted Revisions |
|--------------------|---|--------------------------------|---|
| T 244-18 | Mechanical Testing of Steel Products | 4f | Revised to maintain equivalency with ASTM A370 and also to include a new annex for weld pull testing. |
| T 280-14 (2018) | Concrete Pipe, Manhole Sections, or Tile | 4a | Reconfirmed for 2018 publication. |
| T 281-14 (2018) | Vitrified Clay Pipe | 4a | Reconfirmed for 2018 publication. |
| T 257-96 (2018) | Instrumental Photometric Measurements of Retroreflective Materials and Retroreflective Devices | 4d | Reconfirmed with editorial revisions for 2018 publication. |
| T 366-18 | Apparent Viscosity of Hot-Poured Asphalt Crack Sealant Using Rotational Viscometer | 4e | Revised Section 4.1, source of spindle recommendation. |
| Т 370-18 | Measuring Adhesion of Hot-Poured Asphalt Crack Sealant Using Direct Adhesion Tester | 4e | Revised extensively. |

Release: Group 1 (April 2018)

| Designation Number | Title | Technical Section Number | Balloted Revisions |
|--------------------|---|--------------------------------|--|
| T 23-18 | Making and Curing Concrete Test Specimens in the Field | 3b | Revised to maintain equivalency with ASTM C31 and moved to 3b. |
| T 97-18 | Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading) | 3с | Revised to include updated precision and bias statements. |
| T 106M/T 106-18 | Compressive Strength of Hydraulic Cement Mortar (Using 50-mm or 2- in. Cube Specimens) | 3a | Revised to maintain equivalency with ASTM C109/C109M. |
| T 107M/T 107-18 | Autoclave Expansion of Hydraulic Cement | 3a | Revised to maintain equivalency with ASTM C151/C151M. |

| Designation Number | Title | Technical Section Number | Balloted Revisions |
|--------------------|--|--------------------------------|---|
| T 119M/T 119-18 | Slump of Hydraulic Cement Concrete | 3b | Revised extensively. |
| T 129-14 (2018) | Amount of Water Required for Normal Consistency of Hydraulic Cement Paste | 3a | Reconfirmed for 2018 publication. |
| T 132-87 (2018) | Tensile Strength of Hydraulic Cement Mortars | 3a | Reconfirmed for 2018 publication. |
| T 154-18 | Time of Setting of Hydraulic Cement Paste by Gillmore Needles | 3a | Revised to maintain equivalency with ASTM C266. |
| T 218-86 (2018) | Sampling Hydrated Lime | 3a | Reconfirmed for 2018 publication. |
| T 219-87 (2018) | Testing Lime for Chemical Constituents and Particle Sizes | 3a | Reconfirmed for 2018 publication. |
| T 232-90 (2018) | Determination of Lime Content in Lime-Treated Soils by Titration | 3a | Reconfirmed for 2018 publication. |
| T 242-18 | Frictional Properties of Paved Surfaces Using a Full-Scale Tire | 5a | Revised to maintain equivalency with ASTM E274/E274M. |
| T 279-18 | Accelerated Polishing of Aggregates Using the British Wheel | 5a | Revised to maintain equivalency with ASTM D3319. |
| T 317-04 (2018) | Prediction of Asphalt-Bound Pavement Layer Temperatures | 5a | Reconfirmed for 2018 publication. |
| T 348-13 (2018) | Air-Void Characteristics of Freshly Mixed Concrete by Buoyancy Change | 3b | Reconfirmed for 2018 publication. |
| T 351-14 (2018) | Visual Stability Index (VSI) of Self-Consolidating Concrete (SCC) | 3b | Reconfirmed for 2018 publication. |
| T 352-14 (2018) | Determining Formwork Pressure of Fresh Self-Consolidating Concrete (SCC) Using Pressure Transducers | 3b | Reconfirmed for 2018 publication. |
| T 353-14 (2018) | Particle Size Analysis of Hydraulic Cement and Related Materials by Light Scattering | 3a | Reconfirmed for 2018 publication. |
| T 359M/T 359-18 | Pavement Thickness by Magnetic Pulse Induction | 3c | Revised extensively. |
| T 379-18 | Nonlinear Impact Resonance Acoustic Spectroscopy (NIRAS) for Concrete Specimens with Damage from Alkali-Silica Reaction (ASR) | 3с | Adopted AASHTO Provisional standard TP 109 as a new standard test, T 379. |
| T 380-18 | Potential Alkali Reactivity of Aggregates and Effectiveness of ASR Mitigation Measures (Miniature Concrete Prism Test, MCPT) | 3с | Adopted AASHTO Provisional standard TP 110 as a new standard test, T 380. |

≤1.

PART 3—AASHTO PROVISIONAL STANDARDS SUBJECT SEQUENCE TABLE OF CONTENTS

| Number | Title |
|------------------|--|
| AGGREGATES | |
| PP 64-11 (2017) | <i>Adopted</i> —Determining Aggregate Source Shape Values from Digital Image Analysis Shape Properties |
| TP 81-12 (2017) | Adopted—Determining Aggregate Shape Properties by Means of Digital Image Analysis |
| TP 110-14 (2016) | Adopted—Potential Alkali Reactivity of Aggregates and Effectiveness of ASR Mitigation Measures (Miniature Concrete Prism Test, MCPT) |
| TP 120-16 (2018) | Pore Index for Carbonate Coarse Aggregate |

BITUMINOUS MATERIALS

| MP 23-15 (2018) | Reclaimed Asphalt Shingles for Use in Asphalt Mixtures |
|-----------------|--|
| MP 25-17 | Performance-Graded Hot-Poured Asphalt Crack Sealant |
| MP 26-15 (2018) | Cotton Duck Fabric Bridge Bearings |
| MP 27-16 (2018) | Materials for Emulsified Asphalt Chip Seals |
| MP 28-17 (2018) | Materials for Micro Surfacing |
| MP 31-17 | Materials for Cold Recycled Mixtures with Emulsified Asphalt |
| MP 32-17 | Materials for Slurry Seal |
| MP 33-17 | Materials for Emulsified Asphalt Fog Seal |
| MP 36-18 | Materials for Asphalt Tack Coat |
| MP 37-18 | Performance-Graded Asphalt Binder for Surface Treatments |
| MP 38-18 | Mix Design of Cold Recycled Mixture with Foamed Asphalt |
| PP 76-13 (2015) | Troubleshooting Asphalt Specimen Volumetric Differences between Superpave Gyratory Compactors (SCGs) Used in the Design and the Field Management of Superpave Mixtures |
| PP 77-14 (2018) | Materials Selection and Mixture Design of Permeable Friction Courses (PFCs) |
| PP 78-17 | Design Considerations When Using Reclaimed Asphalt Shingles (RAS) in Asphalt Mixtures |
| PP 82-16 (2018) | Emulsified Asphalt Chip Seal Design |
| PP 83-16 (2018) | Micro Surfacing Design |
| PP 85-17 | Grading or Verifying the Sealant Grade (SG) of a Hot-Poured Asphalt Crack Sealant |
| PP 86-17 | Emulsified Asphalt Content of Cold Recycled Mixture Designs |

| Number | Title |
|------------------|--|
| PP 87-17 | Slurry Seal Design |
| PP 88-17 | Emulsified Asphalt Fog Seal Design |
| PP 93-18 | Asphalt Tack Coat Design |
| PP 94-18 | Determining Optimum Asphalt Content of Cold Recycled Mixture with Foamed Asphalt |
| PP 95-18 | Preparation of Indirect Tension Performance Test Specimens |
| PP 96-18 | Developing Dynamic Modulus Master Curves for Hot Mix Asphalt (HMA) Using the Indirect Tension Testing Method |
| TP 82-10 (2017) | Discontinued—Bulk Specific Gravity of Compacted Bituminous Mixtures Using Water Displacement Measured by Pressure Sensor |
| TP 92-14 (2018) | Determining the Cracking Temperature of Asphalt Binder Using the Asphalt Binder Cracking Device (ABCD) |
| TP 101-12 (2018) | Estimating Fatigue Resistance of Asphalt Binders Using the Linear Amplitude Sweep |
| TP 102-16 | Adopted—Evaluation of Asphalt Release Agents (ARAs) |
| TP 105-13 (2015) | Determining the Fracture Energy of Asphalt Mixtures Using the Semicircular Bend Geometry (SCB) |
| TP 107-18 | Determining the Damage Characteristic Curve of Asphalt Mixtures from Direct Tension Cyclic Fatigue Tests |
| TP 108-14 (2018) | Abrasion Loss of Asphalt Mixture Specimens |
| TP 113-15 | Determination of Asphalt Binder Resistance to Ductile Failure Using Double-Edge- Notched Tension (DENT) Test |
| TP 114-18 | Determining the Interlayer Shear Strength (ISS) of Asphalt Pavement Layers |
| TP 115-16 (2017) | Determining the Quality of Tack Coat Adhesion to the Surface of an Asphalt Pavement in the Field or Laboratory |
| TP 116-15 | Rutting Resistance of Asphalt Mixtures Using Incremental Repeated Load Permanent Deformation (iRLPD) |
| TP 117-15 | Determination of the Voids of Dry Compacted Filler |
| TP 121-16 | <i>Adopted</i> —Determining the Viscosity of Emulsified Asphalt by a Rotational Paddle Viscometer |
| TP 122-16 (2018) | Determination of Performance Grade of Physically Aged Asphalt Binder Using Extended Bending Beam Rheometer (BBR) Method |
| TP 123-16 (2018) | Measuring Asphalt Binder Yield Energy and Elastic Recovery Using the Dynamic Shear Rheometer |
| TP 124-18 | Determining the Fracture Potential of Asphalt Mixtures Using Semicircular Bend Geometry (SCB) at Intermediate Temperature |
| TP 125-16 (2018) | Determining the Flexural Creep Stiffness of Asphalt Mixtures Using the Bending Beam Rheometer (BBR) |

| Number | Title |
|-----------|--|
| TP 126-17 | Evaluation of the Tracking Resistance of Hot-Poured Asphalt Crack Sealant by Dynamic Shear Rheometer (DSR) |
| TP 127-17 | Determining the Fracture Energy Density of Asphalt Binder Using the Binder Fracture Energy (BFE) Test |
| TP 128-17 | Evaluation of Oxidation Level of Asphalt Mixtures by a Portable Infrared Spectrometer |
| TP 131-18 | Determining Dynamic Modulus of Asphalt Concrete Using the Indirect Tension Test |

BOX CULVERT, CULVERT PIPE, AND DRAIN TILE

| MP 20-13 (2017) | Discontinued-Steel-Reinforced Polyethylene (PE) Ribbed Pipe, 300- to 1500-mm |
|-----------------|--|
| | (12- to 60-in.) Diameter |

MP 22-13 (2017) Fiber-Reinforced Polymer Composite Materials for Highway and Bridge Structures

CONCRETE

| PP 84-18 | Performance Engineered Concrete Pavement Mixtures |
|------------------|---|
| TP 109-14 (2016) | Adopted—Nonlinear Impact Resonance Acoustic Spectroscopy (NIRAS) for Concrete Specimens with Damage from the Alkali-Silica Reaction (ASR) |
| TP 118-17 (2018) | Characterization of the Air-Void System of Freshly Mixed Concrete by the Sequential Pressure Method |
| TP 119-15 (2017) | Electrical Resistivity of a Concrete Cylinder Tested in a Uniaxial Resistance Test |
| TP 129-18 | Vibrating Kelly Ball (VKelly) Penetration in Fresh Portland Cement Concrete |

METALLIC MATERIALS AND COATINGS FOR BRIDGES

| MP 30M/MP 30-17 | <i>Discontinued</i> —Steel Wire and Welded Wire, Plain and Deformed, for Concrete Reinforcement |
|-----------------|--|
| TP 84-11 (2017) | <i>Discontinued</i> —Evaluation of Adhesive Anchors in Concrete Under Sustained Loading Conditions |

MISCELLANEOUS

| PP 80-18 | Continuous Thermal Profile of Asphalt Mixture Construction |
|------------------|--|
| PP 81-18 | Intelligent Compaction Technology for Embankment and Asphalt Pavement Applications |
| TP 96-13 (2018) | Protective Sealers for Portland Cement Concrete |
| TP 103-13 (2018) | Detectable Warning Systems |

PAINTING AND TRAFFIC MARKING AND SIGNING

| Number | Title |
|------------------|---|
| MP 24-15 (2018) | Waterborne White and Yellow Traffic Paints |
| PP 74-13 (2018) | Determination of Size and Roundness of Glass Beads Used in Traffic Markings by Means of Computerized Optical Method |
| TP 106-13 (2015) | Determination of Heavy Metal Content of Glass Beads Using X-Ray Fluorescence (XRF) |
| TP 111-14 (2018) | Measuring Retroreflectivity of Pavement Marking Materials Using a Mobile Retroreflectivity Unit |
| TP 130-18 | Producing Draw Down Panels and Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings in a Laboratory Panel |

PAVEMENT SURFACE AND STRUCTURE CHARACTERISTICS

| MP 34-18 | Materials for Sand Seals |
|-----------------|---|
| MP 35-18 | Thin Overlay Treatments Using a Binder Resin System and Aggregate for Concrete Surfaces |
| PP 67-16 (2017) | Adopted—Quantifying Cracks in Asphalt Pavement Surfaces from Collected Pavement Images Utilizing Automated Methods |
| PP 68-14 (2017) | Adopted—Collecting Images of Pavement Surfaces for Distress Detection |
| PP 69-14 (2017) | <i>Adopted</i> —Determining Pavement Deformation Parameters and Cross Slope from Collected Transverse Profiles |
| PP 70-14 (2017) | Adopted—Collecting the Transverse Pavement Profile |
| PP 79-14 (2016) | High-Friction Surface Treatment for Asphalt and Concrete Pavements |
| PP 90-18 | Sand Seal Design |
| PP 91-18 | Emulsified Asphalt Scrub Seal Design |
| TP 98-18 | Determining the Influence of Road Surfaces on Vehicle Noise Using the Statistical Isolated Pass-By Method (SIP) |
| TP 99-18 | Determining the Influence of Road Surfaces on Traffic Noise Using the Continuous- Flow Traffic Time-Integrated Method (CTIM) |

QUALITY ASSURANCE

| PP 73-13 (2018) | Quality Assurance, Job Site Quality Control, and Reapplication of Protective Sealers |
|-----------------|--|
| | for Portland Cement Concrete |

SOILS

| PP 92-18 | Preparation of Test Specimens Using the Plastic Mold Compaction Device |
|------------------|---|
| TP 100-12 (2016) | Deep Foundation Elements for Bi-Directional Static Axial Compressive Load |
| TP 104-13 (2015) | Rapid Axial Compressive Load Testing of Deep Foundation Units |

| Number | Title |
|------------------|---|
| TP 112-14 (2018) | Determining In-Place Density and Moisture Content of Soil and Soil–Aggregate Using Complex Impedance Methodology |

PART 3—AASHTO PROVISIONAL STANDARDS

NUMERICAL SEQUENCE TABLE OF CONTENTS

Number

Title

| MP 20-13 (2017) | <i>Discontinued</i> —Steel-Reinforced Polyethylene (PE) Ribbed Pipe, 300- to 1500-mm (12- to 60-in.) Diameter |
|-----------------|--|
| MP 22-13 (2017) | Fiber-Reinforced Polymer Composite Materials for Highway and Bridge Structures |
| MP 23-15 (2018) | Reclaimed Asphalt Shingles for Use in Asphalt Mixtures |
| MP 24-15 (2018) | Waterborne White and Yellow Traffic Paints |
| MP 25-17 | Performance-Graded Hot-Poured Asphalt Crack Sealant |
| MP 26-15 (2018) | Cotton Duck Fabric Bridge Bearings |
| MP 27-16 (2018) | Materials for Emulsified Asphalt Chip Seals |
| MP 28-17 (2018) | Materials for Micro Surfacing |
| MP 30M/MP 30-17 | Discontinued—Steel Wire and Welded Wire, Plain and Deformed, for Concrete |
| MP 31-17 | Materials for Cold Recycled Mixtures with Emulsified Asphalt |
| MP 32-17 | Materials for Slurry Seal |
| MP 33-17 | Materials for Emulsified Asphalt Fog Seal |
| MP 34-18 | Materials for Sand Seals |
| MP 35-18 | Thin Overlay Treatments Using a Binder Resin System and Aggregate for Concrete Surfaces |
| MP 36-18 | Materials for Asphalt Tack Coat |
| MP 37-18 | Performance-Graded Asphalt Binder for Surface Treatments |
| MP 38-18 | Mix Design of Cold Recycled Mixture with Foamed Asphalt |
| PP 64-11 (2017) | Adopted—Determining Aggregate Source Shape Values from Digital Image Analysis Shape Properties |
| PP 67-16 (2017) | Adopted—Quantifying Cracks in Asphalt Pavement Surfaces from Collected Pavement Images Utilizing Automated Methods |
| PP 68-14 (2017) | Adopted—Collecting Images of Pavement Surfaces for Distress Detection |
| PP 69-14 (2017) | Adopted—Determining Pavement Deformation Parameters and Cross Slope from Collected Transverse Profiles |
| PP 70-14 (2017) | Adopted—Collecting the Transverse Pavement Profile |
| PP 73-13 (2018) | Quality Assurance, Job Site Quality Control, and Reapplication of Protective Sealers for Portland Cement Concrete |

| Number | Title |
|-----------------|--|
| PP 74-13 (2018) | Determination of Size and Roundness of Glass Beads Used in Traffic Markings by Means of Computerized Optical Method |
| PP 76-13 (2015) | Troubleshooting Asphalt Specimen Volumetric Differences between Superpave Gyratory Compactors (SCGs) Used in the Design and the Field Management of Superpave Mixtures |
| PP 77-14 (2018) | Materials Selection and Mixture Design of Permeable Friction Courses (PFCs) |
| PP 78-17 | Design Considerations When Using Reclaimed Asphalt Shingles (RAS) in Asphalt Mixtures |
| PP 79-14 (2016) | High-Friction Surface Treatment for Asphalt and Concrete Pavements |
| PP 80-18 | Continuous Thermal Profile of Asphalt Mixture Construction |
| PP 81-18 | Intelligent Compaction Technology for Embankment and Asphalt Pavement Applications |
| PP 82-16 (2018) | Emulsified Asphalt Chip Seal Design |
| PP 83-16 (2018) | Micro Surfacing Design |
| PP 84-18 | Performance Engineered Concrete Pavement Mixtures |
| PP 85-17 | Grading or Verifying the Sealant Grade (SG) of a Hot-Poured Asphalt Crack Sealant |
| PP 86-17 | Emulsified Asphalt Content of Cold Recycled Mixture Designs |
| PP 87-17 | Slurry Seal Design |
| PP 88-17 | Emulsified Asphalt Fog Seal Design |
| PP 89-18 | Grinding the Ends of Cylindrical Concrete Specimens |
| PP 90-18 | Sand Seal Design |
| PP 91-18 | Emulsified Asphalt Scrub Seal Design |
| PP 92-18 | Preparation of Test Specimens Using the Plastic Mold Compaction Device |
| PP 93-18 | Asphalt Tack Coat Design |
| PP 94-18 | Determining Optimum Asphalt Content of Cold Recycled Mixture with Foamed Asphalt |
| PP 95-18 | Preparation of Indirect Tension Performance Test Specimens |
| PP 96-18 | Developing Dynamic Modulus Master Curves for Hot Mix Asphalt (HMA) Using the Indirect Tension Testing Method |
| TP 81-12 (2017) | Adopted—Determining Aggregate Shape Properties by Means of Digital Image Analysis |
| TP 82-10 (2017) | Discontinued—Bulk Specific Gravity of Compacted Bituminous Mixtures Using Water Displacement Measured by Pressure Sensor |
| TP 84-11 (2017) | <i>Discontinued</i> —Evaluation of Adhesive Anchors in Concrete Under Sustained Loading Conditions |

| Number | Title |
|------------------|--|
| TP 92-14 (2018) | Determining the Cracking Temperature of Asphalt Binder Using the Asphalt Binder Cracking Device (ABCD) |
| TP 96-13 (2018) | Protective Sealers for Portland Cement Concrete |
| TP 98-18 | Determining the Influence of Road Surfaces on Vehicle Noise Using the Statistical Isolated Pass-By Method (SIP) |
| TP 99-18 | Determining the Influence of Road Surfaces on Traffic Noise Using the Continuous- Flow Traffic Time-Integrated Method (CTIM) |
| TP 100-12 (2018) | Deep Foundation Elements for Bi-Directional Static Axial Compressive Load |
| TP 101-12 (2018) | Estimating Fatigue Resistance of Asphalt Binders Using the Linear Amplitude Sweep |
| TP 102-16 | Adopted—Evaluation of Asphalt Release Agents (ARAs) |
| TP 103-13 (2018) | Detectable Warning Systems |
| TP 104-13 (2015) | Rapid Axial Compressive Load Testing of Deep Foundation Units |
| TP 105-13 (2015) | Determining the Fracture Energy of Asphalt Mixtures Using the Semicircular Bend Geometry (SCB) |
| TP 106-13 (2015) | Determination of Heavy Metal Content of Glass Beads Using X-Ray Fluorescence (XRF) |
| TP 107-18 | Determining the Damage Characteristic Curve of Asphalt Mixtures from Direct Tension Cyclic Fatigue Tests |
| TP 108-14 (2018) | Abrasion Loss of Asphalt Mixture Specimens |
| TP 109-14 (2016) | Nonlinear Impact Resonance Acoustic Spectroscopy (NIRAS) for Concrete Specimens with Damage from the Alkali-Silica Reaction (ASR) |
| TP 110-14 (2016) | Adopted—Potential Alkali Reactivity of Aggregates and Effectiveness of ASR Mitigation Measures (Miniature Concrete Prism Test, MCPT) |
| TP 111-14 (2018) | Measuring Retroreflectivity of Pavement Marking Materials Using a Mobile Retroreflectivity Unit |
| TP 112-14 (2018) | Determining In-Place Density and Moisture Content of Soil and Soil–Aggregate Using Complex Impedance Methodology |
| TP 113-15 | Determination of Asphalt Binder Resistance to Ductile Failure Using Double-Edge- Notched Tension (DENT) Test |
| TP 114-18 | Determining the Interlayer Shear Strength (ISS) of Asphalt Pavement Layers |
| TP 115-16 (2017) | Determining the Quality of Tack Coat Adhesion to the Surface of an Asphalt Pavement in the Field or Laboratory |
| TP 116-15 | Rutting Resistance of Asphalt Mixtures Using Incremental Repeated Load Permanent Deformation (iRLPD) |
| TP 117-15 | Determination of the Voids of Dry Compacted Filler |
| TP 118-17 (2018) | Characterization of the Air-Void System of Freshly Mixed Concrete by the Sequential Pressure Method |

| Number | Title |
|------------------|---|
| TP 119-15 (2017) | Electrical Resistivity of a Concrete Cylinder Tested in a Uniaxial Resistance Test |
| TP 120-16 (2018) | Pore Index for Carbonate Coarse Aggregate |
| TP 121-16 | Adopted—Determining the Viscosity of Emulsified Asphalt by a Rotational Paddle Viscometer |
| TP 122-16 (2018) | Determination of Performance Grade of Physically Aged Asphalt Binder Using Extended Bending Beam Rheometer (BBR) Method |
| TP 123-16 (2018) | Measuring Asphalt Binder Yield Energy and Elastic Recovery Using the Dynamic Shear Rheometer |
| TP 124-18 | Determining the Fracture Potential of Ashalt Mixtures Using Semicircular Bend Geometry (SCB) at Intermediate Temperature |
| TP 125-16 (2018) | Determining the Flexural Creep Stiffness of Asphalt Mixtures Using the Bending Beam Rheometer (BBR) |
| TP 126-17 | Evaluation of the Tracking Resistance of Hot-Poured Asphalt Crack Sealant by Dynamic Shear Rheometer (DSR) |
| TP 127-17 | Determining the Fracture Energy Density of Asphalt Binder Using the Binder Fracture Energy (BFE) Test |
| TP 128-17 | Evaluation of Oxidation Level of Asphalt Mixtures by a Portable Infrared Spectrometer |
| TP 129-18 | Vibrating Kelly Ball (VKelly) Penetration in Fresh Portland Cement Concrete |
| TP 130-18 | Producing Draw Down Panels and Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings in a Laboratory Panel |
| TP 131-18 | Determining Dynamic Modulus of Asphalt Concrete Using the Indirect Tension Test |

LIST OF TECHNICAL CHANGES—PART 3

The balloted technical changes listed below are also indicated in the specifications by a change bar in the left margin and by highlighted text (for additions) or struck-through text (for deletions). Unballoted editorial changes do not receive the change bar, highlighting, or strike-through; however, any standard that is neither revised nor reconfirmed but contains such changes does include an endnote stating that minor editorial revisions have been made.

Release: Group 3 (August 2018)

| Designation Number | Title | Technical Section Number | Balloted Revisions | |
|--------------------|---|--------------------------------|--|--|
| MP 23-15 (2018) | Reclaimed Asphalt Shingles for Use in Asphalt Mixtures | 2a | Extended. | |
| MP 32-17 | Materials for Slurry Seal | 5b | Moved from TS 2a to TS 5b. | |
| MP 33-17 | Materials for Emulsified Asphalt Fog Seal | 5b | Moved from TS 2a to TS 5b. | |
| MP 36-18 | Materials for Asphalt Tack Coat | 2a | New Provisional standard. | |
| MP 37-18 | Performance-Graded Asphalt Binder for Surface Treatments | 2b | New Provisional standard. | |
| MP 38-18 | Mix Design of Cold Recycled Mixture with Foamed Asphalt | 2d | New Provisional standard. | |
| PP 64-11 (2017) | Determining Aggregate Source Shape Values from Digital Image Analysis Shape Properties | 1c | Adopted AASHTO Provisional standard PP 64 as a new standard specification, R 91. | |
| PP 77-14 (2018) | Materials Selection and Mixture Design of Permeable Friction Courses | 2d | Extended. | |
| PP 87-17 | Slurry Seal Design | 5b | Moved from TS 2a to TS 5b. | |
| PP 88-17 | Emulsified Asphalt Fog Seal Design | 5b | Moved from TS 2a to TS 5b. | |
| PP 92-18 | Preparation of Test Specimens Using the Plastic Mold Compaction Device | 1b | New Provisional standard. | |
| PP 93-18 | Asphalt Tack Coat Design | 2a | New Provisional standard. | |
| PP 94-18 | Determining Optimum Asphalt Content of Cold Recycled Mixture with Foamed Asphalt | 2d | New Provisional standard. | |
| PP 95-18 | Preparation of Indirect Tension Performance Test Specimens | 2d | New Provisional standard. | |

| PP 96-18 | Developing Dynamic Modulus Master Curves for Hot Mix Asphalt (HMA) Using the Indirect Tension Testing Method | 2d | New Provisional standard. | |
|------------------|--|----|---|--|
| TP 81-12 (2017) | Determining Aggregate Shape Properties by Means of Digital Image Analysis | 1c | Adopted AASHTO Provisional standard TP 81 as a new standard specification, T 381. | |
| TP 82-10 (2017) | Bulk Specific Gravity (Gmb) of Compacted Asphalt Mixtures Using Water Displacement Measured by Pressure Sensor | 2c | Discontinued. | |
| TP 92-14 (2018) | Determining the Cracking Temperature of Asphalt Binder Using the Asphalt Binder Cracking Device (ABCD) | 2b | Extended. | |
| TP 100-12 (2018) | Deep Foundation Elements under Bidirectional Static Axial Compressive Load | 1b | Extended. | |
| TP 101-12 (2018) | Estimating Fatigue Resistance of Asphalt Binders Using the Linear Amplitude Sweep | 2b | Extended. | |
| TP 102-16 | Evaluation of Asphalt Release Agents (ARAs) | 2b | Adopted AASHTO Provisional standard TP 102 as a new standard specification, T 383. | |
| TP 107-18 | Determining the Damage Characteristic Curve of Asphalt Mixtures from Direct Tension Cyclic Fatigue Tests | 2d | Revised extensively. | |
| TP 108-14 (2018) | Abrasion Loss of Asphalt Mixture Specimens | 2d | Extended. | |
| TP 112-14 (2018) | Determining In-Place Density and Moisture Content of Soil and Soil– Aggregate Using Complex Impedance Methodology | 1b | Extended. | |
| TP 114-18 | Determining the Interlayer Shear Strength (ISS) of Asphalt Pavement Layers | 2c | Revised to clarify the air void content requirement for laboratory-compacted specimens and change "sample" to "specimen" throughout that Section. | |
| TP 120-16 (2018) | Pore Index for Carbonate Coarse Aggregate | 1c | Extended. | |
| TP 121-16 | Determining the Viscosity of Emulsified Asphalt by a Rotational Paddle Viscometer | 2a | Adopted AASHTO Provisional standard TP 121 as a new standard specification, T 382. | |
| TP 122-16 (2018) | Determination of Performance Grade of Physically Aged Asphalt Binder Using Extended Bending Beam Rheometer (BBR) Method | 2b | Extended. | |
| TP 123-16 (2018) | Measuring Asphalt Binder Yield Energy and Elastic Recovery Using the Dynamic Shear Rheometer | 2b | Extended. | |
| TP 124-18 | Determining the Fracture Potential of Asphalt Mixtures Using Semicircular Bend Geometry (SCB) at Intermediate Temperature | 2d | Revised extensively. | |
| TP 125-16 (2018) | Determining the Flexural Creep Stiffness of Asphalt Mixtures Using the Bending Beam Rheometer (BBR) | 2d | Extended. | |

| TP 131-18 | Determining Dynamic Modulus of Asphalt Concrete Using the Indirect | 2d | New Provisional standard. |
|-----------|--|----|---------------------------|
| | Tension Test | | |

Release: Group 2 (June 2018)

| Designation Number | Title | Technical Section Number | Balloted Revisions |
|--------------------|--|--------------------------------|---|
| MP 20-13 (2017) | Steel-Reinforced Polyethylene (PE) Ribbed Pipe, 300- to 1500-mm (12- to 60-in.) Diameter | 4b | Adopted AASHTO Provisional standard MP 20 as a new standard specification, M 335. |
| MP 24-15 (2018) | Waterborne White and Yellow Traffic Paints | 4c | Extended. |
| MP 25-18 | Performance-Graded Hot-Poured Asphalt Crack Sealant | 4e | Extensive revisions to Table 1. |
| MP 26-15 (2018) | Cotton Duck Fabric Bridge Bearings | 4e | Extended. |
| MP 30M/MP 30-17 | Steel Wire and Welded Wire, Plain and Deformed, for Concrete Reinforcement | 4f | Adopted AASHTO Provisional standard MP 30M/MP 30 as a new standard specification, M 336M/M 336. |
| PP 73-13 (2018) | Quality Assurance, Job Site Quality Control, and Reapplication of Protective | 4c | Extended. |
| PP 74-13 (2018) | Determination of Size and Roundness of Glass Beads Used in Traffic Markings by Means of Computerized Optical Method | 4c | Extended. |
| PP 79-14 (2018) | High-Friction Surface Treatment for Asphalt and Concrete Pavements | 4c | Extended. |
| PP 85-18 | Grading or Verifying the Sealant Grade (SG) of a Hot-Poured Asphalt Crack | 4e | Extensively revised. |
| TP 84-11 (2017) | Evaluation of Adhesive Anchors in Concrete under Sustained Loading Conditions | 4c | Discontinued after maximum eight years as a Provisional standard. |
| TP 96-13 (2018) | Protective Sealers for Portland Cement Concrete | 4c | Extended. |
| TP 103-13 (2018) | Detectable Warning Systems | 4d | Extended. |
| TP 111 | | 4c | |

| TP 126 | 4e | |
|-----------|----|---------------------------|
| TP 130-18 | 4c | New Provisional standard. |

Release: Group 1 (April 2018)

| Designation Number | Title | Technical Section Number | Balloted Revisions | |
|--------------------|---|--------------------------------|---|--|
| MP 27-16 (2018) | Materials for Emulsified Asphalt Chip Seals | 5b | Extended. | |
| MP 28-17 (2018) | Materials for Micro Surfacing | 5b | Extended. | |
| MP 34-18 | Materials for Sand Seals | 5b | New Provisional standard. | |
| MP 35-18 | Thin Overlay Treatments Using a Binder Resin System and Aggregate for Concrete Surfaces | 5b | New Provisional standard. | |
| PP 67-16 (2017) | Quantifying Cracks in Asphalt Pavement Surfaces from Collected Pavement Images Utilizing Automated Methods | 5a | Adopted AASHTO Provisional standard PP 67 as a new standard practice, R 85. | |
| PP 68-14 (2017) | Collecting Images of Pavement Surfaces for Distress Detection | 5a | Adopted AASHTO Provisional standard PP 68 as a new standard practice, R 86. | |
| PP 69-16 (2017) | Determining Pavement Deformation Parameters and Cross Slope from Collected Transverse Profiles | 5a | Adopted AASHTO Provisional standard PP 69 as a new standard practice, R 87. | |
| PP 70-14 (2017) | Collecting the Transverse Pavement Profile | 5a | Adopted AASHTO Provisional standard as a new standard practice, R 88. | |
| PP 80-18 | Continuous Thermal Profile of Asphalt Mixture Construction | 5c | Revised extensively. | |
| PP 81-18 | Intelligent Compaction Technology for Embankment and Asphalt Pavement Applications | 5c | Revised extensively. | |
| PP 82-16 (2018) | Emulsified Asphalt Chip Seal Design | 5b | Extended. | |
| PP 83-16 (2018) | Micro Surfacing Design | 5b | Extended. | |
| PP 84-18 | Developing Performance Engineered Concrete Pavement Mixtures | 3с | Revised extensively. | |

| Designation Number | Title | Technical Section Number | Balloted Revisions | |
|--------------------|--|--------------------------------|--|--|
| PP 89-18 | Grinding the Ends of Cylindrical Concrete Specimens | 3c | New Provisional standard. | |
| PP 90-18 | Sand Seal Design | 5b | New Provisional standard. | |
| PP 91-18 | Emulsified Asphalt Scrub Seal Design | 5b | New Provisional standard. | |
| TP 98-18 | Determining the Influence of Road Surfaces on Vehicle Noise Using the Statistical Isolated Pass-By (SIP) Method | 5a | Made minor revisions to summary of test method and precision and bias sections. | |
| TP 99-18 | Determining the Influence of Road Surfaces on Traffic Noise Using the Continuous-Flow Traffic Time-Integrated Method (CTIM) | 5a | Made minor revisions to summary of test method and precision and bias sections. | |
| TP 109-14 (2016) | Nonlinear Impact Resonance Acoustic Spectroscopy (NIRAS) for Concrete Specimens with Damage from Alkali-Silica Reaction (ASR) | 3с | Adopted AASHTO Provisional standard TP 109 as a new standard test, T 379. | |
| TP 110-14 (2016) | Potential Alkali Reactivity of Aggregates and Effectiveness of ASR Mitigation Measures (Miniature Concrete Prism Test, MCPT) | 3с | Adopted AASHTO Provisional standard TP 110 as a new standard test, T 380. | |
| TP 118-17 (2018) | Characterization of the Air-Void System of Freshly Mixed Concrete by the Sequential Pressure Method | 3b | Extended. | |
| TP 129-18 | Vibrating Kelly Ball (VKelly) Penetration in Fresh Portland Cement Concrete | 3с | New Provisional standard. | |

Provisional Standards—Current and Former

A searchable, comprehensive history of current and former provisional standards is provided, including:

- when first published;
- number of years into 8-year life cycle, if in use;
- final disposition, if no longer in use; and
- full standard number, if adopted.

COMPREHENSIVE HISTORY OF CURRENT AND FORMER AASHTO PROVISIONAL MATERIALS STANDARDS AND TEST METHODS

AUGUST 2018

| Provisional Standard Number | Title | First Publ. Year | Final Disposition | Disposit. Year | Full Std. No. |
|-----------------------------------|---|------------------------|----------------------|-------------------|---|
| MP 1 | Performance Graded Asphalt Binder | 1994 | Adopted | 2002 | M 320 |
| MP 1a | Performance Graded Asphalt Binder | 1996 | Adopted | 2005 | |
| MP 2 | Superpave Volumetric Mix Design | 1996 | Adopted | 2004 | M 323 |
| MP 5 | Bridge Deck Cathodic Protection | 1996 | Deleted | 1999 | — |
| MP 6 | Corrugated Polyethylene Pipe, 1050 and 1200 mm Diameter | 1996 | Adopted | 1999 | M 294 |
| MP 7 | Corrugated Polyethylene Pipe, 1350 and 1500 mm Diameter | 1998 | Adopted | 2003 | |
| MP 8 | Designing Stone Matrix Asphalt (SMA) | 2000 | Adopted | 2008 | M 325 |
| MP 9 | Compost for Erosion/Sediment Control (Filter Berms) | 2003 | Adopted | 2010 | R 51 |
| MP 10 | Compost for Erosion/Sediment Control (Compost Blankets) | 2003 | Adopted | 2010 | R 52 |
| MP 11 | Inertial Profiler | 2003 | Adopted | 2010 | M 328 |
| MP 12 | Detectable Warning Surfaces | 2004 | Adopted | 2015 | M 333 |
| MP 13 | Stainless Clad Deformed and Plain Round Steel Bars for Concrete Reinforcement | 2004 | Adopted | 2011 | M 329 |
| MP 14 | Smoothness of Pavement at the Approaches to Weight-in- Motion (WIM) Scales | 2005 | Adopted | 2013 | M 331 |
| MP 15 | Use of Reclaimed Asphalt Shingles as an Additive in Hot- Mix Asphalt | 2006 | Deleted | 2014 | _ |
| MP 16 | Reclaimed Concrete Aggregate for Use as Coarse Aggregate in Hydraulic Cement | 2007 | Deleted | 2016 (August) | — |
| MP 17 | Pavement Ride Quality When Measured Using Inertial Profiling Systems | 2004 | Adopted | 2010 | R 54 |
| MP 18 | Uncoated, Corrosion-Resistant, Deformed and Plain Chromium Alloyed, Billet-Steel Bars for Concrete Reinforcement and Dowels | 2009 | Adopted | 2017 (June) | M 334M/M 334 and T 372M/T 372 through T 376M/T 376 |
| MP 19 | Performance-Graded Asphalt Binder Using Multiple Stress Creep Recovery (MSCR) Test | 2010 | Adopted | 2014 | M 332 |

| Provisional Standard Number | Title | First Publ. Year | Final Disposition | Disposit. Year | Full Std. No. |
|-----------------------------------|--|------------------------|----------------------|-------------------|---------------|
| MP 20 | Steel-Reinforced Polyethylene (PE) Ribbed Pipe, 300- to 1500-mm (12- to 60-in.) Diameter | 2010 | Adopted | 2018 (June) | M 335 |
| MP 21 | Polypropylene Pipe, 300- to 500-mm (12- to 60-in.) | 2011 | Adopted | 2013 | M 330 |
| MP 22 | Fiber-Reinforced Polymer Composite Materials for Highway and Bridge Structures | 2013 | | | |
| MP 23 | Reclaimed Asphalt Shingles for Use in Asphalt Mixtures | 2014 | | | |
| MP 24 | Waterborne White and Yellow Traffic Paints | 2014 | | | |
| MP 25 | Performance-Graded Hot-Poured Asphalt Crack Sealant | 2015 | | | |
| MP 26 | Cotton Duck Fabric Bridge Bearings | 2015 | | | |
| MP 27 | Materials for Emulsified Asphalt Chip Seals | 2016 | | | |
| MP 28 | Materials for Micro Surfacing | 2016 | | | |
| MP 29 | This standard number was inadvertently skipped. | | | | |
| MP 30 | Steel Wire and Welded Wire, Plain and Deformed, for Concrete Reinforcement | 2017 | Adopted | 2018 (June) | M 336M/M 336 |
| MP 31 | Materials for Cold Recycled Mixtures with Emulsified Asphalt | 2017 | | | |
| MP 32 | Materials for Slurry Seal | 2017 | | | |
| MP 33 | Materials for Emulsified Asphalt Fog Seal | 2017 | | | |
| MP 34 | Materials for Sand Seals | 2018 | | | |
| MP 35 | Thin Overlay Treatments Using a Binder Resin System and Aggregate for Concrete Surfaces | 2018 | | | |
| MP 36 | Materials for Asphalt Tack Coat | 2018 | | | |
| MP 37 | Performance-Graded Asphalt Binder for Surface Treatments | 2018 | | | |
| MP 38 | Mix Design of Cold Recycled Mixture with Foamed Asphalt | 2018 | | | |
| PP 1 | Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV) | 1994 | Adopted | 2002 | R 28 |
| PP 2 | Mixture Conditioning of Hot-Mix Asphalt (HMA) | 1995 | Adopted | 2002 | R 30 |
| PP 3 | Preparing Hot Mix Asphalt (HMA) Specimens by Means of the Rolling Wheel Compactor | 1995 | Deleted | 2003 | _ |
| PP 5 | Laboratory Evaluation of Modified Asphalt Systems | 1994 | Deleted | 1998 | _ |

| Provisional Standard Number | Title | First Publ. Year | Final Disposition | Disposit. Year | Full Std. No. |
|-----------------------------------|---|------------------------|-------------------------|-------------------|----------------|
| PP 6 | Grading or Verifying the Performance Grade of an Asphalt Binder | 1994 | Adopted | 2002 | R 29 |
| PP 7 | Calibrating the Load Cell and Deflection Sensors for a Falling Weight Deflectometer | 1995 | Adopted | 2003 | R 32 |
| PP 8 | Calibrating the Reference Load Cell Used for reference Calibrations for Falling Weight Deflectometer | 1995 | Adopted | 2003 | R 33 |
| PP 10 | Operational Guidelines on Test Pits for Evaluating Pavement Performance | 1994 | Deleted | 1995 | a |
| PP 19 | Volumetric Analysis of Compacted Hot Mix Asphalt (HMA) | 1994 | Deleted | 2002 | _ |
| PP 20 | Evaluating the Performance of Crack Sealing Treatments on Asphalt Surfaced Pavement | 1995 | Deleted | 2004 | _ |
| PP 21 | Testing and Evaluating Cold Mix Patching Materials | 1995 | Deleted | 2002 | _ |
| PP 22 | Selecting and Specifying Crack Sealants for Asphalt Surfaced Pavement | 1996 | Deleted | 2002 | _ |
| PP 23 | Evaluating the Condition of Portland Cement Concrete Bridge Components | 1996 | Deleted | 2003 | _ |
| PP 25 | Evaluating the Performance of Joint Seals in Portland Cement Concrete Pavement | 1996 | Deleted | 2002 | _ |
| PP 26 | Certifying Suppliers of Performance Graded Asphalt Binders | 1997 | Adopted | 2001 | R 26 |
| PP 28 | Superpave Volumetric Design for Hot-Mix Asphalt (HMA) | 1996 | Adopted | 2004 | R 35 |
| PP 29 | Evaluating Deicing Chemicals | 1996 | Adopted | 2003 | R 34 |
| PP 30 | Evaluation of Coating Systems with Zinc Rich Primers | 1996 | Adopted | 2002 | R 31 |
| PP 31 | Measuring Pavement Profile Using a Rod and Level | 1997 | Adopted | 2005 | R 40 |
| PP 32 | Measuring Pavement Profile Using a Dipstick® | 1997 | Adopted | 2005 | R 41 |
| PP 33 | Decommissioning Geotechnical Exploratory Boreholes | 1997 | Adopted | 1998 | R 22 |
| PP 34 | Estimating the Cracking Tendency of Concrete | 1998 | Adopted | 2008 | Т 334 |
| PP 35 | Evaluation of Superpave [™] Gyratory Compactors (SGCs) | 1998 | Deleted | 2007 | |
| PP 36 | Assessment of Corrosion of Steel Piling for Non-Marine Applications | 1998 | Adopted | 2002 | R 27 |
| PP 37 | Determination of International Roughness Index (IRI) to Quantify Roughness of Pavements | 1999 | Combined and Adopted | 2007 | R 43M/ R 43 |

| Provisional Standard Number | Title | First Publ. Year | Final Disposition | Disposit. Year | Full Std. No. |
|-----------------------------------|--|------------------------|----------------------|-------------------|-------------------|
| PP 37M | Quantifying Roughness of Pavements | 1999 | | | |
| PP 38 | Determining Maximum Rut Depth in Asphalt Pavements | 1999 | Adopted | 2008 | R 48 |
| PP 39 | Estimating Faulting of Concrete Pavements | 1999 | Adopted | 2004 | R 36 |
| PP 40 | Application of Ground Penetrating Radar (GPR) to Highways | 2000 | Adopted | 2004 | R 37 |
| PP 41 | Designing Stone Matrix Asphalt (SMA) | 2000 | Adopted | 2008 | R 46 |
| PP 42 | Determination of Low-Temperature Performance Grade (PG) of Asphalt Binders | 2001 | Adopted | 2009 | R 49 |
| PP 44 | Quantifying Cracks in Asphalt Pavement Surface | 2001 | Adopted | 2010 | R 55 |
| PP 45 | Qualification of Deformed and Plain Steel Bar Producing Mills | 2001 | Adopted | 2010 | R 53 |
| PP 46 | Geosynthetic Reinforcement of the Aggregate Base Course of Flexible Pavement Structures | 2001 | Adopted | 2009 | R 50 |
| PP 47 | Evaluation of Different Superpave™ Gyratory Compactors (SGCs) Used in the Design and the Field Management of Superpave™ Mixtures | 2002 | Deleted | 2009 | _ |
| PP 48 | Evaluation of the Superpave TM Gyratory Compactor (SGC) Internal Angle of Gyration | 2003 | Deleted | 2010 | — |
| PP 49 | Certification of Inertial Profiling Systems | 2003 | Adopted | 2010 | R 56 |
| PP 50 | Operating Inertial Profilers and Evaluating Pavement Profiles | 2003 | Adopted | 2010 | R 57 |
| PP 51 | Pavement Ride Quality When Measured Using Inertial Profiling Systems | 2003 | Adopted | 2010 | R 54 ^b |
| PP 52 | Developing a Quality Assurance Plan for Hot-Mix Asphalt (HMA) | 2005 | Adopted | 2006 | R 42 |
| PP 53 | Design Considerations When Using Reclaimed Asphalt Shingles (RAS) in New Hot Mix Asphalt (HMA) | 2006 | Deleted | 2014 | — |
| PP 54 | Match Curing of Concrete Test Specimens | 2006 | Adopted | 2016 (April) | R 72 |
| PP 55 | Overcoating Field Test Program for Evaluating Protective Coatings on Existing Bridges or Salvaged Beams | 2006 | Deleted | 2012 | |
| PP 56 | Evaluating the Engineering and Environmental Suitability of Recycled Materials | 2006 | Adopted | 2014 | R 65 |
| PP 57 | Establishing Requirements for and Performing Equipment Calibrations, Standardizations, and Checks | 2006 | Adopted | 2012 | R 61 |

| Provisional Standard Number | Title | First Publ. Year | Final Disposition | Disposit. Year | Full Std. No. |
|-----------------------------------|--|------------------------|----------------------|-------------------|---------------|
| PP 58 | Static Segregation of Hardened Self-Consolidating Concrete (SCC) Cylinders | 2008 | Adopted | 2017 (April) | R 81° |
| PP 59 | Coal Combustion Fly Ash for Embankments | 2009 | Deleted | 2016 (August) | _ |
| PP 60 | Preparation of Cylindrical Performance Test Specimens Using the Superpave Gyratory Compactor (SGC) | 2009 | Adopted | 2017 (August) | R 83 |
| PP 61 | Developing Dynamic Modulus Master Curves for Asphalt Mixtures Using the Asphalt Mixture Performance Tester (AMPT) | 2009 | Adopted | 2017 (August) | R 84 |
| PP 62 | Developing Dynamic Modulus Master Curves for Hot Mix Asphalt (HMA) | 2009 | Adopted | 2013 | R 62 |
| PP 63 | Pipe Joint Selection for Highway Culvert and Storm Drains | 2009 | Adopted | 2017 (June) | R 82 |
| PP 64 | Determining Aggregate Source Shape Values from Digital Image Analysis Shape Properties | 2010 | Adopted | 2018 (August) | R 91 |
| PP 65 | Determining the Reactivity of Concrete Aggregates and Selecting Appropriate Measures for Preventing Deleterious Expansion in New Concrete Construction | 2010 | | | |
| PP 66 | Determination of Long-Term Strength for Geosynthetic Reinforcement | 2010 | Adopted | 2015 | R 69 |
| PP 67 | Quantifying Cracks in Asphalt Pavement Surfaces from Collected Images Utilizing Automated Methods | 2010 | Adopted | 2018 (April) | R 85 |
| PP 68 | Collecting Images of Pavement Surfaces for Distress Detection | 2010 | Adopted | 2018 (April) | R 86 |
| PP 69 | Determining Pavement Deformation Parameters and Cross Slope from Collected Transverse Profiles | 2010 | Adopted | 2018 (April) | R 87 |
| PP 70 | Collecting the Transverse Pavement Profile | 2010 | Adopted | 2018 (April) | R 88 |
| PP 71 | Certifying Suppliers of Emulsified Asphalt | 2011 | Adopted | 2016 (August) | R 77 |
| PP 72 | Recovering Residue from Emulsified Asphalt Using Low- Temperature Evaporative Techniques | 2011 | Adopted | 2016 (August) | R 78 |
| PP 73 | Quality Assurance, Job Site Quality Control, and Reapplication of Protective Sealers for Portland Cement Concrete | 2011 | | | |
| PP 74 | Determination of Size and Roundness of Glass Beads Used in Traffic Markings by Means of Computerized Optical Method | 2011 | | | |

| Provisional Standard Number | Title | First Publ. Year | Final Disposition | Disposit. Year | Full Std. No. |
|-----------------------------------|--|------------------------|----------------------|-------------------|---------------|
| PP 75 | Vacuum Drying Compacted Asphalt Specimens | 2013 | Adopted | 2016 (August) | R 79 |
| PP 76 | Troubleshooting Asphalt Specimen Volumetric Differences between Superpave Gyratory Compactors (SGCs) Used in the Design and the Field Management of Superpave Mixtures | 2013 | | | |
| PP 77 | Materials Selection and Mixture Design of Permeable Friction Courses (PFCs) | 2014 | | | |
| PP 78 | Design Considerations When Using Reclaimed Asphalt Shingles (RAS) in Asphalt Mixtures | 2014 | | | |
| PP 79 | High Friction Surface Treatment for Asphalt and Concrete Pavements | 2014 | | | |
| PP 80 | Continuous Thermal Profile of Asphalt Mixture Construction | 2014 | | | |
| PP 81 | Intelligent Compaction Technology for Embankment and Asphalt Pavement Applications | 2014 | | | |
| PP 82 | Emulsified Asphalt Chip Seal Design | 2016 | | | |
| PP 83 | Micro Surfacing Design | 2016 | | | |
| PP 84 | Performance Engineered Concrete Pavement Mixtures | 2017 | | | |
| PP 85 | Grading or Verifying the Sealant Grade (SG) of a Hot-Poured Asphalt Crack Sealant | 2017 | | | |
| PP 86 | Emulsified Asphalt Content of Cold Recycled Mixture Designs | 2017 | | | |
| PP 87 | Slurry Seal Design | 2017 | | | |
| PP 88 | Emulsified Asphalt Fog Seal Design | 2017 | | | |
| PP 89 | Grinding the Ends of Cylindrical Concrete Specimens | 2018 | | | |
| PP 90 | Sand Seal Design | 2018 | | | |
| PP 91 | Emulsified Asphalt Scrub Seal Design | 2018 | | | |
| PP 92 | Preparation of Test Specimens Using the Plastic Mold Compaction Device | 2018 | | | |
| PP 93 | Asphalt Tack Coat Design | 2018 | | | |
| PP 94 | Determining Optimum Asphalt Content of Cold Recycled Mixture with Foamed Asphalt | 2018 | | | |
| PP 95 | Preparation of Indirect Tension Performance Test Specimens | 2018 | | | |

| Provisional Standard Number | Title | First Publ. Year | Final Disposition | Disposit. Year | Full Std. No. |
|-----------------------------------|--|------------------------|----------------------|-------------------|---------------|
| PP 96 | Developing Dynamic Modulus Master Curves for Hot Mix Asphalt (HMA) Using the Indirect Tension Testing Method | 2018 | | | |
| TP 1 | Determining the Flexural Creep Stiffness of Asphalt Binder Using the Bending Beam Rheometer (BBR) | 1994 | Adopted | 2002 | T 313 |
| TP 2 | Quantitative Extraction and Recovery of Asphalt Binder from Hot Mix Asphalt HMA | 1995 | Adopted | 2003 | T 319 |
| TP 3 | Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT) | 1994 | Adopted | 2002 | T 314 |
| TP 4 | Preparing and Determining the Density of Hot-Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor | 1994 | Adopted | 2001 | T 312 |
| TP 5 | Determining the Rheological Properties of Asphalt Binder Using a Dynamic Shear Rheometer (DSR) | 1995 | Adopted | 2002 | T 315 |
| TP 6 | Measurement of Initial Asphalt Adsorption and Desorption in the Presence of Moisture | 1994 | Deleted | 1999 | |
| TP 7 | Determining the Permanent Deformation and Fatigue Cracking Characteristics of Hot Mix Asphalt (HMA) Using the Simple Shear Test (SST) Device | 1995 | Adopted | 2003 | Т 320 |
| TP 8 | Determining the Fatigue Life of Compacted Hot Mix Asphalt (HMA) Subjected to Repeated Flexural Bending | 1995 | Adopted | 2003 | T 321 |
| TP 9 | Determining the Creep Compliance and Strength of Hot Mix Asphalt (HMA) Using the Indirect Tensile Test Device | 1995 | Adopted | 2003 | Т 322 |
| TP 10 | Thermal Stress Restrained Specimen Tensile Strength | 1994 | Deleted | 2002 | _ |
| TP 11 | Rapid Determination of Corrosion Rate of Uncoated Steel in Reinforced Concrete | 1996 | Deleted | 2004 | |
| TP 12 | Determining the Hydraulic Fracture of Coarse Aggregate | 1994 | Deleted | 2001 | _ |
| TP 14 | Accelerated Detection of Potentially Deleterious Expansion of Mortar Bars Due to Alkali-Silica Reaction | 1994 | Adopted | 1996 | Т 303 |
| TP 17 | Resistance of Concrete to Rapid Freezing and Thawing | 1994 | Deleted | 2002 | _ |
| TP 18 | Method for Determining the Fundamental Transverse Frequency and Quality Factor of Concrete Prism Specimens | 1995 | Deleted | 2003 | — |
| TP 19 | Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading) | 1994 | Deleted | 2002 | |
| TP 20 | Compressive Strength of Cylindrical Concrete Specimens | 1994 | Adopted | 1997 | Т 22 |

| Provisional Standard Number | Title | First Publ. Year | Final Disposition | Disposit. Year | Full Std. No. |
|-----------------------------------|--|------------------------|----------------------|-------------------|---------------|
| TP 22 | Rapid Determination of the Chloride Penetrability of Concrete Using AC Impedance | 1995 | Deleted | 2003 | _ |
| TP 23 | Water Content of Freshly Mixed Concrete Using Microwave Oven Drying | 1994 | Adopted | 2002 | T 318 |
| TP 24 | Determining the Density of Freshly Mixed Concrete in Place Using a Twin-Probe Nuclear Density Gauge | 1995 | Deleted | 2003 | — |
| TP 26 | Determining the Relative Permeability of Concrete by Surface Air Flow | 1995 | Deleted | 2003 | |
| TP 28 | Detection of Voids Under Rigid Pavement | 1995 | Deleted | 2003 | — |
| TP 29 | Determining the Shear Strength at the Interface of Bonded Layers of Portland Cement Concrete | 1995 | Adopted | 2003 | Т 323 |
| TP 31 | Determining the Resilient Modulus of Bituminous Mixtures by Indirect Tension | 1995 | Deleted | 2003 | |
| TP 33 | Uncompacted Void Content of Fine Aggregate (As Influenced by Particle Shape, Surface Texture, and Grading) | 1994 | Adopted | 1996 | Т 304 |
| TP 34 | Determining Moisture Sensitivity Characteristics of Compacted Bituminous Mixtures Subjected to Hot and Cold Climate Conditions | 1994 | Deleted | 1999 | — |
| TP 35 | Determining the Relative Effectiveness of Penetrating Concrete Sealers by Electrical Resistance | 1994 | Deleted | 2002 | — |
| TP 36 | Evaluating Asphalt-Covered Concrete Bridge Decks Using Pulsed Radar | 1994 | Deleted | 2002 | _ |
| TP 37 | Determining the Condition Rating of Preformed Membranes on Concrete Bridge Decks Using Pulse Velocity | 1994 | Deleted | 2002 | _ |
| TP 39 | Determining the Maximum Specific Gravity of Bituminous Paving Mixtures | 1995 | Adopted | 1999 | T 209 |
| TP 40 | Determining the Percent Asphalt Required for Coating Aggregates Used in Cold Mix Patching Materials | 1995 | Deleted | 2002 | _ |
| TP 41 | Determining the Percent Asphalt Required Based on Stripping of Aggregates Used in Cold Mix Patching Materials | 1995 | Deleted | 2002 | |
| TP 42 | Percent Asphalt Based on Drainability of Aggregates Used in Cold Mix Patching Materials | 1995 | Deleted | 2002 | _ |
| TP 43 | Workability of Cold Mix Patching Materials | 1995 | Deleted | 2002 | _ |
| TP 44 | Cohesion of Cold Mix Patching Materials | 1995 | Deleted | 2002 | _ |

| Provisional Standard Number | Title | First Publ. Year | Final Disposition | Disposit. Year | Full Std. No. |
|-----------------------------------|---|------------------------|----------------------|-------------------|---------------|
| TP 46 | Determining the Resilient Modulus of Soils and Aggregate Materials | 1995 | Adopted | 1999 | Т 307 |
| TP 47 | Determining the Ecological Effects of Deicing Chemicals | 1995 | Deleted | 2002 | — |
| TP 48 | Viscosity Determination of Asphalt Binder Using Rotational Viscometer | 1995 | Adopted | 2002 | T 316 |
| TP 50 | Determining the Relative Effectiveness of Penetrating Concrete Sealers by Water Absorption | 1996 | Deleted | 2004 | |
| TP 51 | Testing Cathodic Protection Materials and Systems for Bridge Decks | 1996 | Deleted | 2004 | |
| TP 52 | Estimating the Strength of Concrete in Transportation Construction by Maturity Tests | 1996 | Adopted | 2004 | T 325 |
| TP 53 | Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method | 1996 | Adopted | 1999 | T 308 |
| TP 54 | Determining Early Stiffening Characteristics of Portland Cement Paste (Mini Slump Cone Method) | 1997 | Deleted | 2004 | _ |
| TP 55 | Determining Chloride Ions in Concrete and Concrete Materials by Specific Ion Probe | 1998 | Adopted | 2007 | Т 332 |
| TP 56 | Uncompacted Void Content of Coarse Aggregate (As Influenced by Particle Shape, Surface Texture, and Grading) | 1998 | Adopted | 2005 | Т 326 |
| TP 57 | Methylene Blue Value of Clays, Mineral Fillers, and Fines | 1998 | Adopted | 2007 | Т 330 |
| TP 58 | Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus | 1999 | Adopted | 2005 | Т 327 |
| TP 59 | Determining Air Content of Hardened Portland Cement Concrete by High-Pressure Air Meter | 1999 | Adopted | 2015 | T 356 |
| TP 60 | Coefficient of Thermal Expansion of Hydraulic Cement Concrete | 2000 | Adopted | 2009 | Т 336 |
| TP 61 | Determining the Percentage of Fracture in Coarse Aggregate | 2002 | Adopted | 2009 | Т 335 |
| TP 62 | Determining Dynamic Modulus of Hot-Mix Asphalt Concrete Mixtures | 2003 | Adopted | 2011 | T 342 |
| TP 63 | Determining Rutting Susceptibility of Asphalt Paving Mixtures Using the Asphalt Pavement Analyzer (APA) | 2003 | Adopted | 2010 | T 340 |
| TP 64 | Predicting Chloride Penetration of Hydraulic Cement Concrete by the Rapid Migration Procedure | 2003 | Adopted | 2015 | Т 357 |
| TP 65 | Non-Instrumental Determination of Metallic Zinc in Zinc- Rich Primers | 2003 | Adopted | 2009 | Т 337 |

| Provisional Standard Number | Title | First Publ. Year | Final Disposition | Disposit. Year | Full Std. No. |
|-----------------------------------|--|------------------------|----------------------|-------------------|---------------|
| TP 66 | Analysis of Structural Steel Coatings for Hindered Amine Light Stabilizer (HALS) | 2003 | Adopted | 2009 | Т 338 |
| TP 67 | Analysis of Structural Steel Coatings for Isocyanate Content | 2003 | Adopted | 2009 | Т 339 |
| TP 68 | Density of In-Place Hot-Mix Asphalt (HMA) Pavement by Electronic Surface Contact Devices | 2004 | Adopted | 2012 | T 343 |
| TP 69 | Bulk Specific Gravity and Density of Compacted Asphalt Mixtures Using Automatic Vacuum Sealing Method | 2004 | Adopted | 2007 | T 331 |
| TP 70 | Multiple Stress Creep Recovery (MSCR) Test of Asphalt Binder Using a Dynamic Shear Rheometer (DSR) | 2007 | Adopted | 2014 | Т 350 |
| TP 71 | Evaluation of Superpave Gyratory Compactor (SGC) Internal Angle of Gyration Using Simulated Loading | 2007 | Adopted | 2012 | Т 344 |
| TP 72 | Quantitative Determination of the Percentage of Lime in Hot Mix Asphalt (HMA) | 2008 | Adopted | 2016 (August) | Т 362 |
| TP 73 | Slump Flow of Self-Consolidating Concrete (SCC) | 2008 | Adopted | 2013 | Т 347 |
| TP 74 | Passing Ability of Self-Consolidating Concrete (SCC) by J-Ring | 2008 | Adopted | 2012 | Т 345 |
| TP 75 | Air-Void Characteristics of Freshly Mixed Concrete by Buoyancy Change | 2008 | Adopted | 2013 | Т 348 |
| TP 76 | Measurement of Tire/Pavement Noise Using the On-Board Sound Intensity (OBSI) Method | 2008 | Adopted | 2016 (April) | Т 360 |
| TP 77 | Specific Gravity and Absorption of Aggregate by Volumetric Immersion Method | 2009 | Adopted | 2015 | Т 354 |
| TP 78 | Detecting the Presence of Phosphorous in Asphalt Binder | 2009 | Adopted | 2017 (August) | Т 377° |
| TP 79 | Determining the Dynamic Modulus and Flow Number for Asphalt Mixtures Using the Asphalt Mixture Performance Tester (AMPT) | 2009 | Adopted | 2017 (August) | Т 378 |
| TP 80 | Visual Stability Index (VSI) of Self-Consolidating Concrete (SCC) | 2009 | Adopted | 2014 | T 351 |
| TP 81 | Determining Aggregate Shape Properties by Means of Digital Image Analysis | 2010 | Adopted | 2018 (August) | T 381 |
| TP 82 | Bulk Specific Gravity (Gmb) of Compacted Bituminous Mixtures Using Water Displacement Measured by Pressure Sensor | 2010 | Deleted | 2018 (August) | |
| TP 83 | Sampling and Fabrication of 50-mm (2-in.) Cube Specimens Using Grout (Non-Shrink) or Mortar | 2010 | Adopted | 2014 | R 64 |

| Provisional Standard Number | Title | First Publ. Year | Final Disposition | Disposit. Year | Full Std. No. |
|-----------------------------------|---|------------------------|----------------------|-------------------|---------------|
| TP 84 | Evaluation of Adhesive Anchors in Concrete Under Sustained Loading Conditions | 2010 | Deleted | 2018 (June) | — |
| TP 85 | Apparent Viscosity of Hot-Poured Bituminous Crack Sealant Using Brookfield Rotational Viscometer RV Series Instrument | 2010 | Adopted | 2017 (June) | T 366 |
| TP 86 | Accelerated Aging of Bituminous Sealants and Fillers with a Vacuum Oven | 2010 | Adopted | 2017 (June) | Т 367 |
| TP 87 | Measure Low Temperature Flexural Creep Stiffness of Bituminous Sealants and Fillers by Bending Beam Rheometer (BBR) | 2010 | Adopted | 2017 (June) | T 368 |
| TP 88 | Evaluation of the Low-Temperature Tensile Property of Bituminous Sealants by Direct Tension Test | 2010 | Adopted | 2017 (June) | Т 369 |
| TP 89 | Measuring Adhesion of Hot-Poured Crack Sealant Using Direct Adhesion Tester | 2010 | Adopted | 2017 (June) | Т 370 |
| TP 90 | Measuring Interfacial Fracture Energy of Hot-Poured Crack Sealant Using a Blister Test | 2010 | Adopted | 2017 (June) | T 371 |
| TP 91 | Determining Asphalt Binder Bond Strength by Means of the Asphalt Bond Strength (ABS) Test | 2011 | Adopted | 2016 (August) | T 361 |
| TP 92 | Determining the Cracking Temperature of Asphalt Binder Using the Asphalt Binder Cracking Device (ABCD) | 2011 | | | |
| TP 93 | Determining Formwork Pressure of Fresh Self-Consolidating Concrete Using Pressure Transducers | 2011 | Adopted | 2014 | Т 352 |
| TP 94 | Filling Capacity of Self-Consolidating Concrete Using the Caisson Test | 2011 | Adopted | 2013 | T 349 |
| TP 95 | Surface Resistivity Indication of Concrete's Ability to Resist Chloride Ion Penetration | 2011 | Adopted | 2015 | Т 358 |
| TP 96 | Protective Sealers for Portland Cement Concrete | 2011 | | | |
| TP 97 | Glass Beads Used in Pavement Markings | 2011 | Adopted | 2012 | Т 346 |
| TP 98 | Determining the Influence of Road Surfaces on Vehicle Noise Using the Statistical Isolated Pass-By (SIP) Method | 2011 | | | |
| TP 99 | Determining the Influence of Road Surfaces on Traffic Noise Using the Continuous-Flow Traffic Time-Integrated Method (CTIM) | 2011 | | | |
| TP 100 | Deep Foundation Elements under Bidirectional Static Axial Compressive Load | 2012 | | | |

| Provisional Standard Number | Title | First Publ. Year | Final Disposition | Disposit. Year | Full Std. No. |
|-----------------------------------|---|------------------------|----------------------|-------------------|---------------|
| TP 101 | Estimating Fatigue Resistance of Asphalt Binders Using the Linear Amplitude Sweep | 2012 | | | |
| TP 102 | Evaluation of Asphalt Release Agents | 2012 | Adopted | 2018 (August) | T 383 |
| TP 103 | Detectable Warning Systems | 2012 | | | |
| TP 104 | Rapid Axial Compressive Load Testing of Deep Foundation Units | 2013 | | | |
| TP 105 | Determining the Fracture Energy of Asphalt Mixtures Using the Semicircular Bend Geometry (SCB) | 2013 | | | |
| TP 106 | Determination of Heavy Metal Content of Glass Beads Using X-Ray Fluorescence (XRF) | 2013 | | | |
| TP 107 | Determining the Damage Characteristic Curve of Asphalt Mixtures from Direct Tension Cyclic Fatigue Tests | 2014 | | | |
| TP 108 | Determining the Abrasion Loss of Asphalt Mixture Specimens | 2014 | | | |
| TP 109 | Nonlinear Impact Resonance Acoustic Spectroscopy (NIRAS) for Concrete Specimens with Damage from the Alkali-Silica Reaction (ASR) | 2014 | Adopted | 2018 (April) | Т 379 |
| TP 110 | Potential Alkali Reactivity of Aggregates and Effectiveness of ASR Mitigation Measures (Miniature Concrete Prism Test, MCPT) | 2014 | Adopted | 2018 (April) | T 380 |
| TP 111 | Measuring Retroreflectivity of Pavement Marking Materials Using a Mobile Retroreflectivity Unit | 2014 | | | |
| TP 112 | Determining In-Place Density and Moisture Content of Soil and Soil-Aggregate Using Complex Impedance Methodology | 2014 | | | |
| TP 113 | Determination of Asphalt Binder Resistance to Ductile Failure Using Double-Edge-Notched Tension (DENT) Test | 2015 | | | |
| TP 114 | Determining the Interlayer Shear Strength (ISS) of Asphalt Pavement Layers | 2015 | | | |
| TP 115 | Determining the Quality of Tack Coat Adhesion to the Surface of an Asphalt Pavement in the Field or Laboratory | 2015 | | | |
| TP 116 | Rutting Resistance of Asphalt Mixtures Using Incremental Repeated Load Permanent Deformation (iRLPD) | 2015 | | | |
| TP 117 | Determination of the Voids of Dry Compacted Filler | 2015 | | | |
| TP 118 | Characterization of the Air-Void System of Freshly Mixed Concrete by the Sequential Pressure Method | 2015 | | | |

| Provisional Standard Number | Title | First Publ. Year | Final Disposition | Disposit. Year | Full Std. No. |
|-----------------------------------|--|------------------------|----------------------|-------------------|---------------|
| TP 119 | Electrical Resistivity of a Concrete Cylinder Tested in a Uniaxial Resistance Test | 2015 | | | |
| TP 120 | Pore Index for Carbonate Coarse Aggregate | 2016 | | | |
| TP 121 | Determining the Viscosity of Emulsified Asphalt by a Rotational Paddle Viscometer | 2016 | Adopted | 2018 (August) | T 382 |
| TP 122 | Determination of Performance Grade of Physically Aged Asphalt Binder Using Extended Bending Beam Rheometer (BBR) Method | 2016 | | | |
| TP 123 | Measuring Asphalt Binder Yield Energy and Elastic Recovery Using the Dynamic Shear Rheometer | 2016 | | | |
| TP 124 | Determining the Fracture Potential of Ashalt Mixtures Using Semicircular Bend Geometry (SCB) at Intermediate Temperature | 2016 | | | |
| TP 125 | Determining the Flexural Creep Stiffness of Asphalt Mixtures Using the Bending Beam Rheometer (BBR) | 2016 | | | |
| TP 126 | Evaluation of the Tracking Resistance of Hot-Poured Asphalt Crack Sealant by Dynamic Shear Rheometer (DSR) | 2017 | | | |
| TP 127 | Determining the Fracture Energy Density of Asphalt Binder Using the Binder Fracture Energy (BFE) Test | 2017 | | | |
| TP 128 | Evaluation of Oxidation Level of Asphalt Mixtures by a Portable Infrared Spectrometer | 2017 | | | |
| TP 129 | Vibrating Kelly Ball (VKelly) Penetration in Fresh Portland Cement Concrete | 2018 | | | |
| TP 130 | Producing Draw Down Panels and Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings in a Laboratory Panel | 2018 | | | |
| TP 131 | Determining Dynamic Modulus of Asphalt Concrete Using the Indirect Tension Test | 2018 | | | |


 ^a Adopted in 1995 as R 19. R 19 was discontinued in 2004.
^b Reclassified as a provisional specification MP 17 in 2007 then reclassified again as a practice when adopted as a full standard.

^c Discontinued in 2016 then adopted in 2017.

ABOUT AASHTO DESIGNATION NUMBERS

Anatomy of a Designation Number

Components



Standard Types

Standard types are represented by a one-letter abbreviation for full standards. The letter "P" is added for provisional standards. The standard type abbreviations are as follows:

- M (<u>Materials</u>, full)
- T (<u>T</u>est, full)
- R (P<u>R</u>actice, full)

- MP (<u>Materials</u>, provisional)
- TP (<u>T</u>est, provisional)
- PP (<u>P</u>ractice, provisional)

Standard Numbers

Standard numbers are sequential within standard type. Thus, a provisional that is subsequently adopted as a full standard will receive a new number.

Revised vs. Reconfirmed and Discontinued vs. Deleted

A full or provisional standard is designated as *revised* if technical changes have been balloted and approved by AASHTO's Highways Subcommittee on Materials. A standard is designated as *reconfirmed* if it has undergone technical review to determine that it is up to date and in use and that it does not require revision; such a review is required:

- every four years for a full standard, and
- every one or two years for a provisional standard, depending on its progress through its 8-year provisional life cycle.

If a standard is no longer used, it may be *discontinued* by Subcommittee vote, in which case the standard header will be published that year with a notice saying that the standard has been discontinued and giving a brief explanation as to why. In subsequent years, the standard will be *deleted* from the book, meaning that it is no longer maintained.